JOURNAL OF
BURN CARE & REHABILITATION

Official Publication of the American Burn Association

EDITORIAL ADVISORY BOARD

J. Wesley Alexander, MD, ScD, *Cincinnati*
Albert Banes, PhD, *Chapel Hill, N.C.*
Cathy Blache, RN, *Mobile*
Patricia Blakeney, PhD, *Galveston*
John Burke, MD, *Boston*
Gretchen Carrougher, RN, MS, *Tacoma, Wash.*
William Cioffi, MD, *Providence, R.I.*
Charles Cuono, MD, PhD, *New Haven, Conn.*
Edwin A. Deitch, MD, *Newark*
Robert H. Demling, MD, *Boston*
H. Paul Ehrlich, PhD, *Boston*
Loren Engrav, MD, *Seattle*
Michelle Gottschlitch, PhD, RD, *Cincinnati*
Jeffrey Hammond, MD, *New Brunswick, N.J.*
John F. Hansbrough, MD, *San Diego*
John Heggers, PhD, *Galveston*
David M. Heimbach, MD, *Seattle*
Jeffrey Heinrich, PA, EdD, *New Haven, Conn.*
Elizabeth Helvig, RN, MS, *Seattle*
David N. Herndon, MD, *Galveston*
Ian A. Holder, PhD, *Cincinnati*
John Hunt, MD, *Dallas*
Arnold Luterman, MD, *Mobile*
William McManus, MD, *San Antonio*
Jeevendra Martyn, MD, *Boston*
Janet A.Marvin, RN, MSN, *Galveston*
Arthur D. Mason, Jr., MD, *San Antonio*
William Mileski, MD, *Dallas*
Carol O'Neil, RD, *Chicago*
Donald Parks, MD, *Houston*
Hugh D. Peterson, MD, *Chapel Hill, N.C.*
Gary Purdue, MD, *Dallas*
Reg Richard, RPT, *Dayton*
Martin C. Robson, MD, *Tampa*
Jeffrey Saffle, MD, *Salt Lake City*
Lynn Solem, MD, *St. Paul*
Ronald Tompkins, MD, ScD, *Boston*
Daniel Traber, PhD, *Galveston*
Pam Walter, RN, *Dallas*
Glenn Warden, MD, FACS, *Cincinnati*
Patricia Watkins, MD, *Augusta*

INTERNATIONAL EDITORIAL CONSULTANTS

Naoki Aikawa, MD, *Japan*
Gosta Arturson, MD, Sweden
Fortunato Benaim, MD, *Argentina*
John Davies, MD, *Scotland*
John H. Helsop, *New Zealand*
Takeshi Thomas Hirayama, MD, FACS, *Japan*
Stuart Pegg, MD, *Australia*
Walter Peters, MD, *Canada*

VOLUME 16
COPYRIGHT © 1995 BY
BURN SCIENCE PUBLISHERS, INC.

(All rights reserved)
Printed in the United States of America

Cumulative Author Index, Volume 16*

A

Aarsvold JN (*see* Block et al). 1995;16:581-8
Achauer B (*see* Hansbrough et al). 1995;16:241-7
Ahrenholz DH (*see* Clayton et al). 1995;16:451-4
Alexander J (*see* Fakhry et al). 1995;16:86-90
Alexander JW (*see* Gianotti et al). 1995;16:127-31
American Burn Association Registry Participant (*see* Saffle et al). 1995;16:219-32
Antonacci AC (*see* Hawes et al). 1995;16:1-15
Ashburn MA. Burn pain: the management of procedure-related pain. 1995;16:365-71
Ashby J (*see* Kirmani et al). 1995;16:173-9
—— (*see* Kirmani et al). 1995;16:306-15
Atchison NE (*see* Osgood et al). 1995;16:394-9
Atiles L, Mileski W, Purdue G, Hunt J, Baxter C. Laser Doppler flowmetry in burn wounds. 1995;16:388-93
——, ——, Spann K, Purdue G, Hunt J, Baxter C. Early assessment of pediatric burn wounds by laser Doppler flowmetry. 1995;16:596-601
Ause-Ellias KL (*see* Whitestone et al). 1995;16:543-7

B

Baack BR (*see* Webb et al). 1995;16:276-9
Babcock GF (*see* Gianotti et al). 1995;16:127-31
Baker CRF Jr (*see* Beall et al). 1995;16:487-95
Baker CRF (*see* Griswold et al). 1995;16:136-40
Balakrishnan C, Imel LL. Effect of penile burns on sexual function. 1995;16:508-10
Barrow RE (*see* Hollyoak et al). 1995;16:233-40
—— (*see* Xia et al). 1995;16:111-7
Bartleson BJ (*see* Helvig et al). 1995;16:208-11
Baryza GA (*see* Baryza and Baryza). 1995;16:535-8
Baryza MJ, Baryza GA. The Vancouver Scar Scale: an administration tool and its interrater reliability. 1995;16:535-8
Basha G (*see* Sheridan et al). 1995;16:143-4
—— (*see* Sheridan et al). 1995;16:605-6
Baxter C (*see* Atiles et al). 1995;16:388-93
Baxter CR. Critical pathways in research. 1995;16:218
——. Foreword: comments on critical pathways. 1995;16:189
—— (*see* Kirmani et al). 1995;16:173-9
—— (*see* Kirmani et al). 1995;16:306-15
—— (*see* Atiles et al). 1995;16:596-601
Beall CV, Baker CRF Jr, Griswold JA, Little AD, Little GH, Behal FJ. The effect of smoke inhalation on bradykinin metabolism by the perfused and ventilated rat lung. 1995;16:487-95
Behal FJ (*see* Beall et al). 1995;16:487-95
Behringer GE (*see* Sheridan et al). 1995;16:607-9
Belcher KE (*see* Still et al). 1995;16:248-52
Ben-Bassat H (*see* Eldad et al). 1995;16:49-55
Bettinger D, Gore D, Humphries Y. Evaluation of calcium alginate for skin graft donor sites. 1995;16:59-61
Biesecker JE, Edlich RF, Thomas HL Jr, Steers WD. Recent advances in absorbent products for the incontinent patient with burns. 1995;16:146-53
——, Thomas HL Jr, Thacker JG, Blackwood HS, Edlich RF. Innovations in the design and performance of underpads for patients with burns. 1995;16:66-73
Bingham HG, Hudson D, Popp J. A retrospective review of the burn intensive care unit admissions for a year. 1995;16:56-8
—— (*see* Geisser et al). 1995;16:165-71
Binur N (*see* Webb et al). 1995;16:276-9
Bishop B, Gilinsky V. School reentry for the patient with burn injuries: video and/or on-site intervention. 1995;16:455-7
—— (*see* Blakeney et al). 1995;16:469-72
Bishop JF. Pediatric considerations in the use of Biobrane in burn wound management. 1995;16:331-4
——, Demling RH, Hansbrough JF, Hansbrough W, Kucan JO, Rodeheaver GT, Smith DJ Jr. Summary. 1995;16:341-2
Blackwood HS (*see* Biesecker et al). 1995;16:66-73
Blakeney P. School reintegration. 1995;16:180-7
——, Moore P, Meyer W III, Bishop B, Murphy L, Robson M, Herndon D. Efficacy of school reentry programs. 1995;16:469-72
—— (*see* Meyer et al). 1995;16:511-8
—— (*see* Meyer et al). 1995;16:559-68
Block TA, Aarsvold JN, Matthews KL II, Mintzer RA, River LP, Capelli-Schellpfeffer M, Wollmann RL, Tripathi S, Chen C-T, Lee RC. Nonthermally mediated muscle injury and necrosis in electrical trauma. 1995;16:581-8
Bondoc CC (*see* Sheridan et al). 1995;16:607-9
Botens S (*see* Seyb et al). 1995;16:253-7
Boyce SG (*see* Ghosh et al). 1995;16:407-17
Boyce ST, Warden GD, Holder IA. Cytotoxicity testing of topical antimicrobial agents on human keratinocytes and fibroblasts for cultured skin grafts. 1995;16:97-103
Bradley TM, Smoot EC III, Graham DR, Kucan JO, Hussmann J. Overwhelming postsplenectomy sepsis in a patient with burns: a case report and a rational approach to treatment. 1995;16:525-30

*January/February, pp. 1-96; March/April, Part 1, pp. 97-188; March/April, Part 2, pp. 189-218; May/June, Part 1, pp. 219-342; May/June, Part 2, pp. 343-376; July/August, pp. 377-472; September/October, pp. 473-568; November/December, pp. 569-678.

Breiterman S (*see* Eldad et al). 1995;16:49-55
Briggs SE (*see* Sheridan et al). 1995;16:62-4
Brizio-Molteni L, Loick HM, Traber LD, Traber DL, Molteni A. Plasma copper and iron changes in sheep after left lung inhalation injury: effect of the thromboxane antagonist BM 13.177 (Solutroban). 1995;16: 16-22
Bua DP (*see* Sheridan et al). 1995;16:602-4
Budkevich LG (*see* Sheridan et al). 1995;16:440-3
Burger M (*see* Kealey and Burger). 1995;16:214-6
Burke JF (*see* Sheridan et al). 1995;16:607-9

C

Cairns BA (*see* Hultman et al). 1995;16:573-80
Calvano SE (*see* Hawes et al). 1995;16:1-15
Capelli-Schellpfeffer M (*see* Block et al). 1995;16:581-8
Carr DB (*see* Osgood et al). 1995;16:394-9
Cepica T (*see* Griswold et al). 1995;16:136-40
Chang P, Laubenthal KN, Lewis RW II, Rosenquist MD, Lindley-Smith P, Kealey GP. Prospective, randomized study of the efficacy of pressure garment therapy in patients with burns. 1995;16:473-5
Chaouat M (*see* Eldad et al). 1995;16:49-55
Chen C-T (*see* Block et al). 1995;16:581-8
Cifrino C (*see* Sheridan et al). 1995;16:605-6
Cioffi WG (*see* Rue et al). 1995;16:262-8
Clayton MC, Solem LD, Ahrenholz DH. Pulmonary failure in geriatric patients with burns: the need for a diagnosis-related group modifier. 1995;16:451-4
Cohen H (*see* Eldad et al). 1995;16:49-55
Cornwell P. Contrasting designs of critical pathways. 1995; 16:295-304
——. Designing tools for pathway implementation and evaluation. 1995;16:202-8
——. Utilizing critical pathways to facilitate continued quality improvement. 1995;16:212-4
Cunningham ME (*see* Huribal et al). 1995;16:23-6
Currie K (*see* Giele et al). 1995;16:641-5

D

D'Aiuto ML (*see* Huribal et al). 1995;16:23-6
Davis B (*see* Saffle et al). 1995;16:219-32
Davis VH (*see* Webb et al). 1995;16:276-9
Dawson J (*see* Hansbrough et al). 1995;16:241-7
Demling RH. The advantage of the burn team approach. 1995;16:569-72
——. Use of Biobrane in management of scalds. 1995;16: 329-30
——, Ikegami K, Lalonde C. Increased lipid peroxidation and decreased antioxidant activity correspond with death after smoke exposure in the rat. 1995;16:104-10
—— (*see* Bishop et al). 1995;16:341-2
Desai MH (*see* Mittendorfer et al). 1995;16:589-95
deSerres S (*see* Hultman et al). 1995;16:573-80
Dimick AR (*see* Rees et al). 1995;16:288-9
—— (*see* Wrigley et al). 1995;16:445-50
Doctor ME. Commentary. 1995;16:466-8
Doody DP (*see* Sheridan et al). 1995;16:62-4
Doré C (*see* Hansbrough et al). 1995;16:241-7
—— (*see* Hansbrough et al). 1995;16:531-4
Dries DJ (*see* Lujan et al). 1995;16:258-61
Dutcher KA (*see* Nuchtern et al). 1995;16:36-42

E

Easter AJ (*see* Rodeberg et al). 1995;16:476-80
Economou TP, Rosenquist MD, Lewis RW II, Kealey GP. An experimental study to determine the effects of Dermagraft on skin graft viability in the presence of bacterial wound contamination. 1995;16:27-30
Edlich RF (*see* Biesecker et al). 1995;16:66-73
—— (*see* Biesecker et al). 1995;16:146-53
—— (*see* Nguyen et al). 1995;16:280-3
Eldad A, Wisoki M, Cohen H, Breiterman S, Chaouat M, Wexler MR, Ben-Bassat H. Phosphorous burns: evaluation of various modalities for primary treatment. 1995; 16:49-55
Engrav LH (*see* Nuchtern et al). 1995;16:36-42
Eppinger M (*see* Nelson et al). 1995;16:31-5

F

Fakhry SM, Alexander J, Smith D, Meyer AA, Peterson HD. Regional and institutional variation in burn care. 1995;16:86-90
Fallon J (*see* Sheridan et al). 1995;16:605-6
Faulkner BC (*see* Rodeheaver et al). 1995;16:321-3
Fine PR (*see* Wrigley et al). 1995;16:445-50
Finkelstein JL (*see* Madden et al). 1995;16:461-5
Finley RK (*see* Nelson et al). 1995;16:31-5
Fletchall S, Hickerson WL. Quality burn rehabilitation: cost-effective approach. 1995;16:539-42
Foertsch CE, O'Hara MW, Kealey GP, Foster LD, Schumacher EA. A quasi-experimental, dual-center study of morphine efficacy in patients with burns. 1995;16: 118-26
Foresman PA (*see* Rodeheaver et al). 1995;16:321-3
Foster LD (*see* Foertsch et al). 1995;16:118-26
Fratianne RB (*see* Gripp et al). 1995;16:160-1
Freedlander E (*see* Ghosh et al). 1995;16:407-17
Frelinger JA (*see* Hultman et al). 1995;16:573-80
Fukushi S (*see* Matsuzaki et al). 1995;16:496-502

G

Gagnon SW (*see* Sheridan et al). 1995;16:62-4
Gamelli RL (*see* Hansbrough et al). 1995;16:377-87
—— (*see* Lujan et al). 1995;16:258-61
Geisser ME, Bingham HG, Robinson ME. Pain and anxiety during burn dressing changes: concordance between patients' and nurses' ratings and relation to medication administration and patient variables. 1995;16:165-71
Gennari R (*see* Gianotti et al). 1995;16:127-31
Ghosh MM, Boyce SG, Freedlander E, MacNeil S. A simple human dermal model for assessment of in vitro

attachment efficiency of stored cultured epithelial autografts. 1995;16:407-17
Gianotti L, Alexander JW, Pyles T, Gennari R, Babcock GF. Translocation and survival of *Bacteroides fragilis* after thermal injury. 1995;16:127-31
Giele HP, Currie K, Wood FM, Hansen H. Early use of pressure masks to avoid facial contracture during the pregrafting phase. 1995;16:641-5
Gilinsky V (*see* Bishop and Gilinsky). 1995;16:455-7
Gillespie RW. Burn physician reimbursement policy. 1995;16:79-82
—— (*see* Holland et al). 1995;16:458-60
Gleitsmann KY (*see* Still et al). 1995;16:248-52
Goodwin CW (*see* Madden et al). 1995;16:461-5
—— (*see* Silverberg et al). 1995;16:154-9
Gordon M. Steps to pathway development. 1995;16:197-202
——, Greenfield E, Marvin J. Introduction. 1995;16:190-1
Gore D (*see* Bettinger et al). 1995;16:59-61
Gorga D (*see* Silverberg et al). 1995;16:154-9
Gorman MA (*see* Kirmani et al). 1995;16:173-9
—— (*see* Kirmani et al). 1995;16:306-15
Gosling P, Rothe HM, Sheehan TMT, Hubbard LD. Serum copper and zinc concentrations in patients with burns in relation to burn surface area. 1995;16:481-6
Graham DR (*see* Bradley et al). 1995;16:525-30
Greaves KW (*see* Sheridan et al). 1995;16:602-4
Greenfield E. Critical pathways: what they are and what they are not. 1995;16:196-7
—— (*see* Gordon et al). 1995;16:190-1
Greenhalgh DG (*see* Rodeberg et al). 1995;16:476-80
Greenleaf G (*see* Zapata-Sirvent et al). 1995;16:422-8
—— (*see* Zapata-Sirvent et al). 1995;16:622-6
Gripp CL, Salvaggio J, Fratianne RB. Use of burn intensive care unit gymnasium as an adjunct to therapy. 1995;16:160-1
Griswold JA, Cepica T, Rossi L, Wimmer S, Merrifield HH, Hester C, Sauter T, Baker CRF. A comparison of Xeroform and SkinTemp dressings in the healing of skin graft donor sites. 1995;16:136-40
—— (*see* Beall et al). 1995;16:487-95

H

Haberal MA. An eleven-year survey of electrical burn injuries. 1995;16:43-8
Hallock GG. Homodigital flaps—especially for treatment of the burned hand. 1995;16:503-7
——. Preexpansion of free flap donor sites used in reconstruction after burn injury. 1995;16:646-53
Halpert RL. Letter to the editor. 1995;16:96 (Letter)
Hansbrough JF. Use of Biobrane for extensive posterior donor site wounds. 1995;16:335-6
——, Achauer B, Dawson J, Himel H, Luterman A, Slater H, Levenson S, Salzberg CA, Hansbrough WB, Doré C. Wound healing in partial-thickness burn wounds treated with collagenase ointment versus silver sulfadiazine cream. 1995;16:241-7
——, Hansbrough W. Enteral feeding of a pediatric patient with burns. 1995;16:316 (Letter)
——, Herndon DN, Heimbach DM, Solem LD, Gamelli RL, Tompkins RG, RGD Study Group. Accelerated healing and reduced need for grafting in pediatric patients with burns treated with arginine–glycine–aspartic acid peptide matrix. 1995;16:377-87
—— (*see* Bishop et al). 1995;16:341-2
—— (*see* Hansbrough et al). 1995;16:531-4
—— (*see* Zapata-Sirvent et al). 1995;16:422-8
—— (*see* Zapata-Sirvent et al). 1995;16:622-6
Hansbrough W. Nursing care of donor site wounds. 1995;16:337-40
——, Doré C, Hansbrough JF. Management of skin-grafted burn wounds with Xeroform and layers of dry coarse-mesh gauze dressing results in excellent graft take and minimal nursing time. 1995;16:531-4
—— (*see* Bishop et al). 1995;16:341-2
—— (*see* Hansbrough and Hansbrough). 1995;16:316 (Letter)
—— (*see* Hansbrough et al). 1995;16:241-7
Hansen H (*see* Giele et al). 1995;16:641-5
Hanson J (*see* Thurston et al). 1995;16:269-75
Hanumadass M (*see* Tanaka et al). 1995;16:610-5
Hartsell ML (*see* Rodeheaver et al). 1995;16:321-3
Hawes AS, Richardson RP, Antonacci AC, Calvano SE. Chronic pathophysiologic elevation of corticosterone after thermal injury or thermal injury and burn wound infection adversely affects body mass, lymphocyte numbers, and outcome. 1995;16:1-15
He F (*see* Xia et al). 1995;16:111-7
Heimbach D. Recipe for postgraft antimicrobial wound cover. 1995;16:188 (Letter)
Heimbach DM (*see* Hansbrough et al). 1995;16:377-87
—— (*see* Nuchtern et al). 1995;16:36-42
Heinle JA, Jensen RW, Lewis RW II, Kealey GP. An effective method of educating junior high–aged children in fire and burn safety without disruption of the school curriculum. 1995;16:91-5
Helvig EI, Upright J, Bartleson BJ, Kagan RJ. Development of burn outcomes and quality indicators: a project of the ABA committee on organization and delivery of burn care. 1995;16:208-11
Herndon DN (*see* Blakeney et al). 1995;16:469-72
—— (*see* Hansbrough et al). 1995;16:377-87
—— (*see* Hollyoak et al). 1995;16:233-40
—— (*see* Meyer et al). 1995;16:511-8
—— (*see* Meyer et al). 1995;16:559-68
—— (*see* Mittendorfer et al). 1995;16:589-95
—— (*see* Xia et al). 1995;16:111-7
Hester C (*see* Griswold et al). 1995;16:136-40
Hickerson WL (*see* Fletchall and Hickerson). 1995;16:539-42
Hildreth MA (*see* Mittendorfer et al). 1995;16:589-95
Himel H (*see* Hansbrough et al). 1995;16:241-7
Hinson M (*see* Sheridan et al). 1995;16:605-6

Holder IA (*see* Boyce et al). 1995;16:97-103
Holland KA, Gillespie RW, Lewis NM, Kachman SD. Estimating energy needs of pediatric patients with burns. 1995;16:458-60
Hollyoak MA, Muller MJ, Meyers NA, Williams WG, Barrow RE, Herndon DN. Beneficial wound healing and metabolic effects of clenbuterol in burned and nonburned rats. 1995;16:233-40
—— (*see* Xia et al). 1995;16:111-7
Holzer CE (*see* Meyer et al). 1995;16:559-68
Housinger TA (*see* Rodeberg et al). 1995;16:476-80
Hrenewich B (*see* Thurston et al). 1995;16:269-75
Hubbard LD (*see* Gosling et al). 1995;16:481-6
Hudson D (*see* Bingham et al). 1995;16:56-8
Hultman CS, Cairns BA, Yamamoto H, deSerres S, Frelinger JA, Meyer AA. The effect of burn injury on allograft rejection, alloantigen processing, and cytotoxic T lymphocyte sensitization. 1995;16:573-80
Humphries Y (*see* Bettinger et al). 1995;16:59-61
Hunt J (*see* Atiles et al). 1995;16:388-93
—— (*see* Atiles et al). 1995;16:596-601
—— (*see* Kadesky et al). 1995;16:132-5
Huribal M, Cunningham ME, D'Aiuto ML, Pleban WE, McMillen MA. Endothelin levels in patients with burns covering more than 20% body surface area. 1995;16:23-6
Hurley J (*see* Sheridan et al). 1995;16:602-4
Hussmann J (*see* Bradley et al). 1995;16:525-30

I

Igarashi H (*see* Tanaka et al). 1995;16:616-21
Ikegami K (*see* Demling et al). 1995;16:104-10
Imel LL (*see* Balakrishnan and Imel). 1995;16:508-10
Ireton-Jones C (*see* Kirmani et al). 1995;16:173-9
—— (*see* Kirmani et al). 1995;16:306-15
Ishida H (*see* Matsuzaki et al). 1995;16:496-502
Izquierdo LA (*see* Webb et al). 1995;16:276-9

J

Jensen RW (*see* Heinle et al). 1995;16:91-5
Jerath M (*see* Sheridan et al). 1995;16:602-4
Johnson J (*see* Silverberg et al). 1995;16:154-9
Jordan MH (*see* Rees et al). 1995;16:288-9

K

Kachman SD (*see* Holland et al). 1995;16:458-60
Kadesky K, Purdue GF, Hunt JL. Acute pseudo-obstruction in critically ill patients with burns. 1995;16:132-5
Kagan RJ (*see* Helvig et al). 1995;16:208-11
Kazianis A (*see* Osgood et al). 1995;16:394-9
Kealey GP. Opioids and analgesia. 1995;16:363-4
——. Pharmacologic management of background pain in burn victims. 1995;16:358-62
——, Burger M. Utilization of critical pathways to facilitate clinical care. 1995;16:214-6
—— (*see* Chang et al). 1995;16:473-5
—— (*see* Economou et al). 1995;16:27-30
—— (*see* Foertsch et al). 1995;16:118-26
—— (*see* Heinle et al). 1995;16:91-5
Kemp JW (*see* Osgood et al). 1995;16:394-9
Kirmani ZA, Baxter CR, Gorman MA, Ashby J, Ireton-Jones C, Liepa GU. Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol, relative blood viscosity, platelet count, and bleeding time. 1995;16:306-15
——, ——, ——, ——, ——, ——. Effects of supplemented Ω-3 and Ω-6 fatty acid rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma and platelet fatty acids. 1995;16:173-9
Korpiel MR. Issues related to clinical pathways: managed care, implementation, and liability. 1995;16:191-5
Kucan JO. Use of Biobrane in treatment of toxic epidermal necrolysis. 1995;16:324-8
—— (*see* Bishop et al). 1995;16:341-2
—— (*see* Bradley et al). 1995;16:525-30
Kumagai N (*see* Matsuzaki et al). 1995;16:496-502

L

Lalonde C (*see* Demling et al). 1995;16:104-10
Landry VL. The importance of sample size and software to find it. 1995;16:290-3
Laubenthal KN (*see* Chang et al). 1995;16:473-5
Law EJ (*see* Still et al). 1995;16:141-2
—— (*see* Still et al). 1995;16:248-52
LeDoux J (*see* Meyer et al). 1995;16:511-8
Lee RC (*see* Block et al). 1995;16:581-8
Lehto S (*see* Tuohig et al). 1995;16:429-36
Levenson S (*see* Hansbrough et al). 1995;16:241-7
Lewis NM (*see* Holland et al). 1995;16:458-60
Lewis RW II (*see* Chang et al). 1995;16:473-5
—— (*see* Economou et al). 1995;16:27-30
—— (*see* Heinle et al). 1995;16:91-5
Liepa GU (*see* Kirmani et al). 1995;16:173-9
—— (*see* Kirmani et al). 1995;16:306-15
Lindley-Smith P (*see* Chang et al). 1995;16:473-5
Little AD (*see* Beall et al). 1995;16:487-95
Little GH (*see* Beall et al). 1995;16:487-95
Lo AKM (*see* Perrotta et al). 1995;16:437-9
Loick HM (*see* Brizio-Molteni et al). 1995;16:16-22
Lucchina LC (*see* Sheridan et al). 1995;16:602-4
Lujan HJ, Dries DJ, Gamelli RL. Comparative analysis of bedside and operating room tracheostomies in critically ill patients with burns. 1995;16:258-61
Luterman A (*see* Hansbrough et al). 1995;16:241-7

M

Macdonald I (*see* Putland et al). 1995;16:627-40
MacNeil S (*see* Ghosh et al). 1995;16:407-17
Madden MR, Mathwick M, Valentino L, Finkelstein JL, Goodwin CW. The epidemiology and prevention of burn injuries to firefighters. 1995;16:461-5

Madison SA (*see* Still et al). 1995;16:141-2
Major DA (*see* Rodeheaver et al). 1995;16:321-3
Mani MM (*see* Seyb et al). 1995;16:253-7
Marvin JA. Pain assessment versus measurement. 1995;16:348-57
——. Utilization of critical pathways in education. 1995;16:216-8
—— (*see* Gordon et al). 1995;16:190-1
Mason AD Jr (*see* Rue et al). 1995;16:262-8
Mathwick M (*see* Madden et al). 1995;16:461-5
Matsuda H (*see* Tanaka et al). 1995;16:610-5
—— (*see* Tanaka et al). 1995;16:616-21
Matsuda T (*see* Tanaka et al). 1995;16:610-5
Matsuzaki K, Kumagai N, Fukushi S, Ohshima H, Tanabe M, Ishida H. Cultured epithelial autografting on meshed skin graft scars: evaluation of skin elasticity. 1995;16:496-502
Matthews KL II (*see* Block et al). 1995;16:581-8
Mays JR (*see* McKnight et al). 1995;16:548-56
McCabe M (*see* Sheridan et al). 1995;16:605-6
McKnight RH, Struttmann TW, Mays JR. Finding homes without smoke detectors: one step in planning burn prevention programs. 1995;16:548-56
McManus WF (*see* Rue et al). 1995;16:262-8
McMillen MA (*see* Huribal et al). 1995;16:23-6
Merrifield HH (*see* Griswold et al). 1995;16:136-40
Meyer AA (*see* Fakhry et al). 1995;16:86-90
—— (*see* Hultman et al). 1995;16:573-80
—— (*see* Tabata and Meyer). 1995;16:400-6
Meyer WJ III, Blakeney P, LeDoux J, Herndon DN. Diminished adaptive behaviors among pediatric survivors of burns. 1995;16:511-8
——, ——, Holzer CE, Moore P, Murphy L, Robson MC, Herndon DN. Inconsistencies in psychosocial assessment of children after severe burns. 1995;16:559-68
—— (*see* Blakeney et al). 1995;16:469-72
Meyers NA (*see* Hollyoak et al). 1995;16:233-40
Mileski W (*see* Atiles et al). 1995;16:388-93
—— (*see* Atiles et al). 1995;16:596-601
Miller SF. "Burn Diseases," a multimedia educational presentation of the Mediterranean Burn Club. 1995;16:162-3
——. Spreadsheets III: the spreadsheet database—the good, the bad, and the helpful. 1995;16:83-4
—— (*see* Nelson et al). 1995;16:31-5
—— (*see* Richard et al). 1995;16:284-7
—— (*see* Whitestone et al). 1995;16:543-7
Mintzer RA (*see* Block et al). 1995;16:581-8
Mitra A (*see* Perrotta et al). 1995;16:437-9
Mittendorfer B, Hildreth MA, Desai MH, Herndon DN. Younger pediatric patients with burns are at risk for continuing postdischarge weight loss. 1995;16:589-95
Mituo T (*see* Tanaka et al). 1995;16:616-21
Molteni A (*see* Brizio-Molteni et al). 1995;16:16-22
Monafo WW. Physiology of pain. 1995;16:345-7
Moore P (*see* Blakeney et al). 1995;16:469-72
—— (*see* Meyer et al). 1995;16:559-68
Morris S (*see* Tuohig et al). 1995;16:429-36
Moses KC (*see* Still et al). 1995;16:248-52
Muller MJ (*see* Hollyoak et al). 1995;16:233-40
—— (*see* Xia et al). 1995;16:111-7
Murphy L (*see* Blakeney et al). 1995;16:469-72
—— (*see* Meyer et al). 1995;16:559-68

N

Nagler W (*see* Silverberg et al). 1995;16:154-9
Nakamura DY (*see* Nuchtern et al). 1995;16:36-42
Neely AN, Rieman MT, Warden GD. Patients undergoing reconstructive surgery versus unburned children as "controls" in studies of pediatric patients with burns. 1995;16:418-21
Nelson CV, Miller SF, Eppinger M, Finley RK. Micrografts II: evaluation of 25:1, 50:1, and 100:1 expansion skin grafts in the porcine model. 1995;16:31-5
Nguyen ND, Wadley HNG, Edlich RF. Corrosion of stainless steel pipes in a hydrotherapy pool by a silver-copper disinfection system. 1995;16:280-3
Nishioka NS (*see* Sheridan et al). 1995;16:602-4
Noordhoek L (*see* Seyb et al). 1995;16:253-7
Nuchtern JG, Engrav LH, Nakamura DY, Dutcher KA, Heimbach DM, Vedder NB. Treatment of fourth-degree hand burns. 1995;16:36-42

O

O'Hara MW (*see* Foertsch et al). 1995;16:118-26
Ohshima H (*see* Matsuzaki et al). 1995;16:496-502
Osgood PF, Kazianis A, Kemp JW, Atchison NE, Carr DB, Szyfelbein SK. Dose effects of morphine and butorphanol alone and in combination after burn injury in the rat. 1995;16:394-9
Osler TM (*see* Webb et al). 1995;16:276-9

P

Patterson DR. Non–opioid-based approaches to burn pain. 1995;16:372-6
Perrotta VJ, Stern JD, Lo AKM, Mitra A. Arch bar stabilization of endotracheal tubes in children with facial burns. 1995;16:437-9
Peterson HD (*see* Fakhry et al). 1995;16:86-90
Petras L (*see* Sheridan et al). 1995;16:143-4
—— (*see* Sheridan et al). 1995;16:605-6
Piccolo NS. "Old" brown-type dermatomes needed. 1995;16:188 (Letter)
Pickens H (*see* Still et al). 1995;16:141-2
Pleban WE (*see* Huribal et al). 1995;16:23-6
Popp J (*see* Bingham et al). 1995;16:56-8
Pruitt BA Jr (*see* Rue et al). 1995;16:262-8
Purdue G (*see* Atiles et al). 1995;16:388-93
—— (*see* Atiles et al). 1995;16:596-601
—— (*see* Kadesky et al). 1995;16:132-5
Putland M, Snelling CFT, Macdonald I, Tron VA. Histologic comparison of cultured epithelial autograft and

meshed expanded split-thickness skin graft. 1995;16: 627-40
Pyles T (*see* Gianotti et al). 1995;16:127-31

Q

Quinby WC (*see* Sheridan et al). 1995;16:607-9

R

Rees JM, Dimick AR, Jordan MH. The American Burn Association Patient Registry. 1995;16:288-9
Reilly S (*see* Thurston et al). 1995;16:269-75
Remensnyder JP (*see* Sheridan et al). 1995;16:62-4
Rennekampff O (*see* Zapata-Sirvent et al). 1995;16:422-8
RGD Study Group (*see* Hansbrough et al). 1995;16:377-87
Richard RL, Shanesy CP III, Miller SF. Dynamic versus static splints: a prospective case for sustained stress. 1995;16:284-7
—— (*see* Whitestone et al). 1995;16:543-7
Richardson RP (*see* Hawes et al). 1995;16:1-15
Ridgway CL, Warden GD. Evaluation of a vertical mouth stretching orthosis: two case reports. 1995;16:74-8
Rieman MT (*see* Neely et al). 1995;16:418-21
River LP (*see* Block et al). 1995;16:581-8
Robinson ME (*see* Geisser et al). 1995;16:165-71
Robson MC (*see* Blakeney et al). 1995;16:469-72
—— (*see* Meyer et al). 1995;16:559-68
Rodeberg DA, Easter AJ, Washam MA, Housinger TA, Greenhalgh DG, Warden GD. Use of a helium-oxygen mixture in the treatment of postextubation stridor in pediatric patients with burns. 1995;16:476-80
Rodeheaver GT, Hartsell ML, Faulkner BC, Major DA, Foresman PA. Influence of Biobrane construction on adherence. 1995;16:321-3
—— (*see* Bishop et al). 1995;16:341-2
Rosenquist MD (*see* Chang et al). 1995;16:473-5
—— (*see* Economou et al). 1995;16:27-30
Rossi L (*see* Griswold et al). 1995;16:136-40
Rothe HM (*see* Gosling et al). 1995;16:481-6
Rue LW III, Cioffi WG, Mason AD Jr, McManus WF, Pruitt BA Jr. The risk of pneumonia in thermally injured patients requiring ventilatory support. 1995;16:262-8
Ryan CM (*see* Sheridan et al). 1995;16:607-9
Ryan DP (*see* Sheridan et al). 1995;16:62-4

S

Saffle JR, Davis B, Williams P, American Burn Association Registry Participant Group. Recent outcomes in the treatment of burn injury in the United States: a report from the American Burn Association Patient Registry. 1995;16:219-32
—— (*see* Tuohig et al). 1995;16:429-36
Salvaggio J (*see* Gripp et al). 1995;16:160-1
Salvo P (*see* Sheridan et al). 1995;16:605-6
Salzberg CA (*see* Hansbrough et al). 1995;16:241-7
Sauter T (*see* Griswold et al). 1995;16:136-40
Schomaker KT (*see* Sheridan et al). 1995;16:602-4
Schumacher EA (*see* Foertsch et al). 1995;16:118-26
Seyb ST, Noordhoek L, Botens S, Mani MM. A study to determine the efficacy of treatments for hydrofluoric acid burns. 1995;16:253-7
Shanesy CP III (*see* Richard et al). 1995;16:284-7
Sharar SR. Endotracheal tube tip position in an infant with severe burns. 1995;16:654 (Letter)
Sheehan TMT (*see* Gosling et al). 1995;16:481-6
Sheridan RL, Behringer GE, Ryan CM, Bondoc CC, Quinby WC, Tompkins RG, Burke JF. Effective postoperative protection for grafted posterior surfaces: the quilted dressing. 1995;16:607-9
——, Briggs SE, Remensnyder JP, Gagnon SW, Doody DP, Ryan DP, Tompkins RG. The burn unit as a resource for the management of acute nonburn conditions in children. 1995;16:62-4
——, Petras L, Basha G, Salvo P, Cifrino C, Hinson M, McCabe M, Fallon J, Tompkins RG. Planimetry study of the percent of body surface represented by the hand and palm: sizing irregular burns is more accurately done with the palm. 1995;16:605-6
——, ——, ——, Tompkins RG. Clinical experience with the use of biodegradable tacks in pediatric patients with burns. 1995;16:143-4
——, Schomaker KT, Lucchina LC, Hurley J, Yin LM, Tompkins RG, Jerath M, Torri A, Greaves KW, Bua DP, Nishioka NS. Burn depth estimation by use of indocyanine green fluorescence: initial human trial. 1995;16: 602-4
——, Weber JM, Budkevich LG, Tompkins RG. Candidemia in the pediatric patient with burns. 1995;16: 440-3
Shimazaki S (*see* Tanaka et al). 1995;16:610-5
—— (*see* Tanaka et al). 1995;16:616-21
Silverberg R, Johnson J, Gorga D, Nagler W, Goodwin C. A survey of the prevalence and application of chest physical therapy in U.S. burn centers. 1995;16: 154-9
Slater H (*see* Hansbrough et al). 1995;16:241-7
Sleith J (*see* Thurston et al). 1995;16:269-75
Slemker TC (*see* Whitestone et al). 1995;16:543-7
Smith D (*see* Fakhry et al). 1995;16:86-90
Smith DJ Jr. Use of Biobrane in wound management. 1995;16:317-20
—— (*see* Bishop et al). 1995;16:341-2
Smoot EC III (*see* Bradley et al). 1995;16:525-30
Snelling CFT. Burn units' share of Canada's total burn care. 1995;16:519-24
—— (*see* Putland et al). 1995;16:627-40
Solem LD (*see* Clayton et al). 1995;16:451-4
—— (*see* Hansbrough et al). 1995;16:377-87
Spann K (*see* Atiles et al). 1995;16:596-601
Steers WD (*see* Biesecker et al). 1995;16:146-53
Steinsapir E (*see* Zapata-Sirvent et al). 1995;16:622-6
Stern JD (*see* Perrotta et al). 1995;16:437-9
Still JM Jr, Law EJ, Belcher KE, Moses KC, Gleitsmann KY. Experience with burns of the eyes and lids in a regional burn unit. 1995;16:248-52

——, Madison SA, Law EJ, Pickens H. An unusual mechanism of electrocution via a spray of aluminum paint. 1995;16:141-2
Struttmann TW (*see* McKnight et al). 1995;16:548-56
Sullivan JJ (*see* Tuohig et al). 1995;16:429-36
Szyfelbein SK (*see* Osgood et al). 1995;16:394-9

T

Tabata T, Meyer AA. Immunoglobulin M synthesis after burn injury: the effects of chronic ethanol on postinjury synthesis. 1995;16:400-6
Tanabe M (*see* Matsuzaki et al). 1995;16:496-502
Tanaka H, Hanumadass M, Matsuda H, Shimazaki S, Walter RJ, Matsuda T. Hemodynamic effects of delayed initiation of antioxidant therapy (beginning two hours after burn) in extensive third-degree burns. 1995;16:610-5
——, Mituo T, Yukioka T, Matsuda H, Shimazaki S, Igarashi H. Comparison of hemodynamic changes resulting from toxic shock syndrome toxin-1–producing *Staphylococcus aureus* sepsis and endotoxin-producing gram-negative rod sepsis in patients with severe burns. 1995;16:616-21
Tenenhaus M (*see* Zapata-Sirvent et al). 1995;16:422-8
Thacker JG (*see* Biesecker et al). 1995;16:66-73
Thomas HL Jr (*see* Biesecker et al). 1995;16:66-73
—— (*see* Biesecker et al). 1995;16:146-53
Thurston N, Reilly S, Hanson J, Hrenewich B, Sleith J. Emotional responses of hospitalized patients with burns to debridement during the acute phase. 1995;16:269-75
Tompkins RG (*see* Hansbrough et al). 1995;16:377-87
—— (*see* Sheridan et al). 1995;16:62-4
—— (*see* Sheridan et al). 1995;16:143-4
—— (*see* Sheridan et al). 1995;16:440-3
—— (*see* Sheridan et al). 1995;16:602-4
—— (*see* Sheridan et al). 1995;16:605-6
—— (*see* Sheridan et al). 1995;16:607-9
Torri A (*see* Sheridan et al). 1995;16:602-4
Traber DL (*see* Brizio-Molteni et al). 1995;16:16-22
Traber LD (*see* Brizio-Molteni et al). 1995;16:16-22
Tripathi S (*see* Block et al). 1995;16:581-8
Tron VA (*see* Putland et al). 1995;16:627-40
Trotman BK (*see* Wrigley et al). 1995;16:445-50
Tuohig GM, Saffle JR, Sullivan JJ, Morris S, Lehto S. Self-inflicted patient burns: suicide versus mutilation. 1995;16:429-36

U

Upright J (*see* Helvig et al). 1995;16:208-11

V

Valentino L (*see* Madden et al). 1995;16:461-5
Vedder NB (*see* Nuchtern et al). 1995;16:36-42

W

Wadley HNG (*see* Nguyen et al). 1995;16:280-3
Walter RJ (*see* Tanaka et al). 1995;16:610-5
Warden GD (*see* Boyce et al). 1995;16:97-103
—— (*see* Neely et al). 1995;16:418-21
—— (*see* Ridgway and Warden). 1995;16:74-8
—— (*see* Rodeberg et al). 1995;16:476-80
Washam MA (*see* Rodeberg et al). 1995;16:476-80
Watkins PN. Breaking barriers. 1995;16:343-4
Webb JC, Baack BR, Osler TM, Davis VH, Izquierdo LA, Binur N. Pregnancy complicated by mature abdominal burn scarring and its surgical solution: a case report. 1995;16:276-9
Weber JM (*see* Sheridan et al). 1995;16:440-3
Wexler MR (*see* Eldad et al). 1995;16:49-55
Whitestone JJ, Richard RL, Slemker TC, Ause-Ellias KL, Miller SF. Fabrication of total-contact burn masks by use of human body topography and computer-aided design and manufacturing. 1995;16:543-7
Williams P (*see* Saffle et al). 1995;16:219-32
Williams WG (*see* Hollyoak et al). 1995;16:233-40
Wimmer S (*see* Griswold et al). 1995;16:136-40
Wisoki M (*see* Eldad et al). 1995;16:49-55
Wollmann RL (*see* Block et al). 1995;16:581-8
Wood FM (*see* Giele et al). 1995;16:641-5
Wrigley M, Trotman BK, Dimick A, Fine PR. Factors relating to return to work after burn injury. 1995;16:445-50

X

Xia Z-F, Hollyoak M, Barrow RE, He F, Muller MJ, Herndon DN. Superoxide dismutase and leupeptin prevent delayed reperfusion injury in the rat small intestine during burn shock. 1995;16:111-7

Y

Yamamoto H (*see* Hultman et al). 1995;16:573-80
Yin LM (*see* Sheridan et al). 1995;16:602-4
Yukioka T (*see* Tanaka et al). 1995;16:616-21

Z

Zapata-Sirvent RL, Greenleaf G, Hansbrough JF, Steinsapir E. Burn injury results in decreased gastric acid production in the acute shock period. 1995;16:622-6
——, Tenenhaus M, Hansbrough JF, Greenleaf G, Rennekampff O. Effects of high-dose vitamin C administration on bacterial translocation and lung neutrophil sequestration in burned mice. 1995;16:422-8

Cumulative Subject/Title Index, Volume 16*

A

Abdomen
Pregnancy complicated by mature abdominal burn scarring and its surgical solution: a case report (Webb et al). 1995;16:276-9

Absorbent pads; *see* **Incontinence pads**

Acetaminophen
Pharmacologic management of background pain in burn victims (Kealey). 1995;16:358-62

Action potentials
Physiology of pain (Monafo). 1995;16:345-7

Adaptation, psychologic
Diminished adaptive behaviors among pediatric survivors of burns (Meyer et al). 1995;16:511-8

Affect
Emotional responses of hospitalized patients with burns to debridement during the acute phase (Thurston et al). 1995;16:269-75

Aged
Pulmonary failure in geriatric patients with burns: the need for a diagnosis-related group modifier (Clayton et al). 1995;16:451-4

Alcohol, ethyl
Immunoglobulin M synthesis after burn injury: the effects of chronic ethanol on postinjury synthesis (Tabata and Meyer). 1995;16:400-6

Alginates
Evaluation of calcium alginate for skin graft donor sites (Bettinger et al). 1995;16:59-61

Alloantigens; *see* **Isoantigens**

Aluminum
An unusual mechanism of electrocution via a spray of aluminum paint (Still et al). 1995;16:141-2

American Burn Association Patient Registry
The American Burn Association Patient Registry (Rees et al). 1995;16:288-9

Ammonium compounds
A study to determine the efficacy of treatments for hydrofluoric acid burns (Seyb et al). 1995;16:253-7

Amputation
An eleven-year survey of electrical burn injuries (Haberal). 1995;16:43-8

Analgesia
Opioids and analgesia (Kealey). 1995;16:363-4

Analgesics
Burn pain: the management of procedure-related pain (Ashburn). 1995;16:365-71
Dose effects of morphine and butorphanol alone and in combination after burn injury in the rat (Osgood et al). 1995;16:394-9
Non–opioid-based approaches to burn pain (Patterson). 1995;16:372-6
Opioids and analgesia (Kealey). 1995;16:363-4
Pharmacologic management of background pain in burn victims (Kealey). 1995;16:358-62

Anesthesia, conduction
Burn pain: the management of procedure-related pain (Ashburn). 1995;16:365-71

Anesthesia, inhalation
Burn pain: the management of procedure-related pain (Ashburn). 1995;16:365-71

Antacids
Regional and institutional variation in burn care (Fakhry et al). 1995;16:86-90

Antibiotics
Overwhelming postsplenectomy sepsis in a patient with burns: a case report and a rational approach to treatment (Bradley et al). 1995;16:525-30
Recipe for postgraft antimicrobial wound cover (Heimbach). 1995;16:188 (Letter)

Antifibrinolytic agents
Patients undergoing reconstructive surgery versus unburned children as "controls" in studies of pediatric patients with burns (Neely et al). 1995;16:418-21

Antihistamines
Pharmacologic management of background pain in burn victims (Kealey). 1995;16:358-62

Anti-inflammatory agents, nonsteroidal
Pharmacologic management of background pain in burn victims (Kealey). 1995;16:358-62

Antioxidants
Effects of high-dose vitamin C administration on bacterial translocation and lung neutrophil sequestration in burned mice (Zapata-Sirvent et al). 1995;16:422-8
Hemodynamic effects of delayed initiation of antioxidant therapy (beginning two hours after burn) in extensive third-degree burns (Tanaka et al). 1995;16:610-5
Increased lipid peroxidation and decreased antioxidant activity correspond with death after smoke exposure in the rat (Demling et al). 1995;16:104-10

Antiplasmins; *see* **Antifibrinolytic agents**

Antithrombins
Patients undergoing reconstructive surgery versus unburned children as "controls" in studies of pediatric patients with burns (Neely et al). 1995;16:418-21

*January/February, pp. 1-96; March/April, Part 1, pp. 97-188; March/April, Part 2, pp. 189-218; May/June, Part 1, pp. 219-342; May/June, Part 2, pp. 343-376; July/August, pp. 377-472; September/October, pp. 473-568; November/December, pp. 569-678.

Anxiety
Emotional responses of hospitalized patients with burns to debridement during the acute phase (Thurston et al). 1995;16:269-75
Pain and anxiety during burn dressing changes: concordance between patients' and nurses' ratings and relation to medication administration and patient variables (Geisser et al). 1995;16:165-71
A quasi-experimental, dual-center study of morphine efficacy in patients with burns (Foertsch et al). 1995; 16:118-26

Anxiolytic agents; *see* **Tranquilizing agents, minor**

Arginine
Accelerated healing and reduced need for grafting in pediatric patients with burns treated with arginine–glycine–aspartic acid peptide matrix (Hansbrough et al). 1995;16:377-87

Ascorbic acid
Effects of high-dose vitamin C administration on bacterial translocation and lung neutrophil sequestration in burned mice (Zapata-Sirvent et al). 1995;16:422-8
Hemodynamic effects of delayed initiation of antioxidant therapy (beginning two hours after burn) in extensive third-degree burns (Tanaka et al). 1995;16: 610-5

Aspartic acid
Accelerated healing and reduced need for grafting in pediatric patients with burns treated with arginine–glycine–aspartic acid peptide matrix (Hansbrough et al). 1995;16:377-87

Autograft; *see* **Transplantation, autologous**

B

Bacterial infections
An experimental study to determine the effects of Dermagraft on skin graft viability in the presence of bacterial wound contamination (Economou et al). 1995; 16:27-30
Translocation and survival of *Bacteroides fragilis* after thermal injury (Gianotti et al). 1995;16:127-31

Bacterial translocation
Effects of high-dose vitamin C administration on bacterial translocation and lung neutrophil sequestration in burned mice (Zapata-Sirvent et al). 1995;16: 422-8

Bacteroides fragilis
Translocation and survival of *Bacteroides fragilis* after thermal injury (Gianotti et al). 1995;16:127-31

Bandages
A comparison of Xeroform and SkinTemp dressings in the healing of skin graft donor sites (Griswold et al). 1995;16:136-40
Effective postoperative protection for grafted posterior surfaces: the quilted dressing (Sheridan et al). 1995; 16:607-9
Evaluation of calcium alginate for skin graft donor sites (Bettinger et al). 1995;16:59-61
Influence of Biobrane construction on adherence (Rodeheaver et al). 1995;16:321-3
Management of skin-grafted burn wounds with Xeroform and layers of dry coarse-mesh gauze dressing results in excellent graft take and minimal nursing time (Hansbrough et al). 1995;16:531-4
Nursing care of donor site wounds (Hansbrough). 1995;16:337-40
Pain and anxiety during burn dressing changes: concordance between patients' and nurses' ratings and relation to medication administration and patient variables (Geisser et al). 1995;16:165-71
Pediatric considerations in the use of Biobrane in burn wound management (Bishop). 1995;16:331-4
Recipe for postgraft antimicrobial wound cover (Heimbach). 1995;16:188 (Letter)
Regional and institutional variation in burn care (Fakhry et al). 1995;16:86-90
Summary (Bishop et al). 1995;16:341-2
Use of Biobrane for extensive posterior donor site wounds (Hansbrough). 1995;16:335-6
Use of Biobrane in management of scalds (Demling). 1995;16:329-30
Use of Biobrane in treatment of toxic epidermal necrolysis (Kucan). 1995;16:324-8
Use of Biobrane in wound management (Smith). 1995; 16:317-20

Bedding and linens
Innovations in the design and performance of underpads for patients with burns (Biesecker et al). 1995;16: 66-73

Bedsore; *see* **Decubitus ulcer**

Behavior, adaptive; *see* **Adaptation, psychologic**

Benzodiazepines
Burn pain: the management of procedure-related pain (Ashburn). 1995;16:365-71

Biobrane
Influence of Biobrane construction on adherence (Rodeheaver et al). 1995;16:321-3
Nursing care of donor site wounds (Hansbrough). 1995;16:337-40
Pediatric considerations in the use of Biobrane in burn wound management (Bishop). 1995;16:331-4
Summary (Bishop et al). 1995;16:341-2
Use of Biobrane for extensive posterior donor site wounds (Hansbrough). 1995;16:335-6
Use of Biobrane in management of scalds (Demling). 1995;16:329-30
Use of Biobrane in treatment of toxic epidermal necrolysis (Kucan). 1995;16:324-8
Use of Biobrane in wound management (Smith). 1995; 16:317-20

Biological dressings
Influence of Biobrane construction on adherence (Rodeheaver et al). 1995;16:321-3
Nursing care of donor site wounds (Hansbrough). 1995;16:337-40
Pediatric considerations in the use of Biobrane in burn wound management (Bishop). 1995;16:331-4
Summary (Bishop et al). 1995;16:341-2
Use of Biobrane for extensive posterior donor site wounds (Hansbrough). 1995;16:335-6
Use of Biobrane in management of scalds (Demling). 1995;16:329-30

Biological dressings—Cont'd
Use of Biobrane in treatment of toxic epidermal necrolysis (Kucan). 1995;16:324-8
Use of Biobrane in wound management (Smith). 1995;16:317-20

Bleeding time
Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol, relative blood viscosity, platelet count, and bleeding time (Kirmani et al). 1995;16:306-15

Blood platelets
Effects of supplemented Ω-3 and Ω-6 fatty acid rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma and platelet fatty acids (Kirmani et al). 1995;16:173-9

Blood viscosity
Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol, relative blood viscosity, platelet count, and bleeding time (Kirmani et al). 1995;16:306-15

Body surface area
Endothelin levels in patients with burns covering more than 20% body surface area (Huribal et al). 1995;16:23-6
Planimetry study of the percent of body surface represented by the hand and palm: sizing irregular burns is more accurately done with the palm (Sheridan et al). 1995;16:605-6
Recent outcomes in the treatment of burn injury in the United States: a report from the American Burn Association Patient Registry (Saffle et al). 1995;16:219-32
Self-inflicted patient burns: suicide versus mutilation (Tuohig et al). 1995;16:429-36
Serum copper and zinc concentrations in patients with burns in relation to burn surface area (Gosling et al). 1995;16:481-6

Body surface therapy
Prospective, randomized study of the efficacy of pressure garment therapy in patients with burns (Chang et al). 1995;16:473-5

Body topography
Fabrication of total-contact burn masks by use of human body topography and computer-aided design and manufacturing (Whitestone et al). 1995;16:543-7

Body weight
Chronic pathophysiologic elevation of corticosterone after thermal injury or thermal injury and burn wound infection adversely affects body mass, lymphocyte numbers, and outcome (Hawes et al). 1995;16:1-15

Bradykinin
The effect of smoke inhalation on bradykinin metabolism by the perfused and ventilated rat lung (Beall et al). 1995;16:487-95

Brooke formula
Regional and institutional variation in burn care (Fakhry et al). 1995;16:86-90

Burn Scar Index
The Vancouver Scar Scale: an administration tool and its interrater reliability (Baryza and Baryza). 1995;16:535-8

Burn team approach
The advantage of the burn team approach (Demling). 1995;16:569-72

Burn units
The burn unit as a resource for the management of acute nonburn conditions in children (Sheridan et al). 1995;16:62-4
Burn units' share of Canada's total burn care (Snelling). 1995;16:519-24
Comparative analysis of bedside and operating room tracheostomies in critically ill patients with burns (Lujan et al). 1995;16:258-61
Experience with burns of the eyes and lids in a regional burn unit (Still et al). 1995;16:248-52
A retrospective review of the burn intensive care unit admissions for a year (Bingham et al). 1995;16:56-8
Spreadsheets III: the spreadsheet database—the good, the bad, and the helpful (Miller). 1995;16:83-4
A survey of the prevalence and application of chest physical therapy in U.S. burn centers (Silverberg et al). 1995;16:154-9
Use of burn intensive care unit gymnasium as an adjunct to therapy (Gripp et al). 1995;16:160-1

Burns
Acute pseudo-obstruction in critically ill patients with burns (Kadesky et al). 1995;16:132-5
Arch bar stabilization of endotracheal tubes in children with facial burns (Perrotta et al). 1995;16:437-9
Beneficial wound healing and metabolic effects of clenbuterol in burned and nonburned rats (Hollyoak et al). 1995;16:233-40
Burn depth estimation by use of indocyanine green fluorescence: initial human trial (Sheridan et al). 1995;16:602-4
Burn injury results in decreased gastric acid production in the acute shock period (Zapata-Sirvent et al). 1995;16:622-6
Burn pain: the management of procedure-related pain (Ashburn). 1995;16:365-71
Chronic pathophysiologic elevation of corticosterone after thermal injury or thermal injury and burn wound infection adversely affects body mass, lymphocyte numbers, and outcome (Hawes et al). 1995;16:1-15
Comparative analysis of bedside and operating room tracheostomies in critically ill patients with burns (Lujan et al). 1995;16:258-61
Comparison of hemodynamic changes resulting from toxic shock syndrome toxin-1–producing *Staphylococcus aureus* sepsis and endotoxin-producing gram-negative rod sepsis in patients with severe burns (Tanaka et al). 1995;16:616-21
Dose effects of morphine and butorphanol alone and in combination after burn injury in the rat (Osgood et al). 1995;16:394-9
The effect of burn injury on allograft rejection, alloantigen processing, and cytotoxic T lymphocyte sensitization (Hultman et al). 1995;16:573-80
Effect of penile burns on sexual function (Balakrishnan and Imel). 1995;16:508-10
Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol,

relative blood viscosity, platelet count, and bleeding time (Kirmani et al). 1995;16:306-15
Effects of high-dose vitamin C administration on bacterial translocation and lung neutrophil sequestration in burned mice (Zapata-Sirvent et al). 1995;16:422-8
Effects of supplemented Ω-3 and Ω-6 fatty acid rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma and platelet fatty acids (Kirmani et al). 1995;16:173-9
Emotional responses of hospitalized patients with burns to debridement during the acute phase (Thurston et al). 1995;16:269-75
Endothelin levels in patients with burns covering more than 20% body surface area (Huribal et al). 1995;16:23-6
The epidemiology and prevention of burn injuries to firefighters (Madden et al). 1995;16:461-5
Factors relating to return to work after burn injury (Wrigley et al). 1995;16:445-50
Hemodynamic effects of delayed initiation of antioxidant therapy (beginning two hours after burn) in extensive third-degree burns (Tanaka et al). 1995;16:610-5
Homodigital flaps—especially for treatment of the burned hand (Hallock). 1995;16:503-7
Immunoglobulin M synthesis after burn injury: the effects of chronic ethanol on postinjury synthesis (Tabata and Meyer). 1995;16:400-6
Laser Doppler flowmetry in burn wounds (Atiles et al). 1995;16:388-93
Non–opioid-based approaches to burn pain (Patterson). 1995;16:372-6
Overwhelming postsplenectomy sepsis in a patient with burns: a case report and a rational approach to treatment (Bradley et al). 1995;16:525-30
Pain and anxiety during burn dressing changes: concordance between patients' and nurses' ratings and relation to medication administration and patient variables (Geisser et al). 1995;16:165-71
Planimetry study of the percent of body surface represented by the hand and palm: sizing irregular burns is more accurately done with the palm (Sheridan et al). 1995;16:605-6
Preexpansion of free flap donor sites used in reconstruction after burn injury (Hallock). 1995;16:646-53
Prospective, randomized study of the efficacy of pressure garment therapy in patients with burns (Chang et al). 1995;16:473-5
Quality burn rehabilitation: cost-effective approach (Fletchall and Hickerson). 1995;16:539-42
A quasi-experimental, dual-center study of morphine efficacy in patients with burns (Foertsch et al). 1995;16:118-26
Recent advances in absorbent products for the incontinent patient with burns (Biesecker et al). 1995;16:146-53
Recent outcomes in the treatment of burn injury in the United States: a report from the American Burn Association Patient Registry (Saffle et al). 1995;16:219-32
The risk of pneumonia in thermally injured patients requiring ventilatory support (Rue et al). 1995;16:262-8
School reentry for the patient with burn injuries: video and/or on-site intervention (Bishop and Gilinsky). 1995;16:455-7
Self-inflicted patient burns: suicide versus mutilation (Tuohig et al). 1995;16:429-36
Serum copper and zinc concentrations in patients with burns in relation to burn surface area (Gosling et al). 1995;16:481-6
Summary (Bishop et al). 1995;16:341-2
Superoxide dismutase and leupeptin prevent delayed reperfusion injury in the rat small intestine during burn shock (Xia et al). 1995;16:111-7
Translocation and survival of *Bacteroides fragilis* after thermal injury (Gianotti et al). 1995;16:127-31
Treatment of fourth-degree hand burns (Nuchtern et al). 1995;16:36-42
Wound healing in partial-thickness burn wounds treated with collagenase ointment versus silver sulfadiazine cream (Hansbrough et al). 1995;16:241-7

Burns, chemical
Experience with burns of the eyes and lids in a regional burn unit (Still et al). 1995;16:248-52
Phosphorous burns: evaluation of various modalities for primary treatment (Eldad et al). 1995;16:49-55
A study to determine the efficacy of treatments for hydrofluoric acid burns (Seyb et al). 1995;16:253-7

Burns, electric
An eleven-year survey of electrical burn injuries (Haberal). 1995;16:43-8
Nonthermally mediated muscle injury and necrosis in electrical trauma (Block et al). 1995;16:581-8
An unusual mechanism of electrocution via a spray of aluminum paint (Still et al). 1995;16:141-2

Burns, epidemiology
The epidemiology and prevention of burn injuries to firefighters (Madden et al). 1995;16:461-5

Burns, in infancy & childhood
Accelerated healing and reduced need for grafting in pediatric patients with burns treated with arginine–glycine–aspartic acid peptide matrix (Hansbrough et al). 1995;16:377-87
Candidemia in the pediatric patient with burns (Sheridan et al). 1995;16:440-3
Clinical experience with the use of biodegradable tacks in pediatric patients with burns (Sheridan et al). 1995;16:143-4
Diminished adaptive behaviors among pediatric survivors of burns (Meyer et al). 1995;16:511-8
Early assessment of pediatric burn wounds by laser Doppler flowmetry (Atiles et al). 1995;16:596-601
Endotracheal tube tip position in an infant with severe burns (Sharar). 1995;16:654 (Letter)
Enteral feeding of a pediatric patient with burns (Hansbrough and Hansbrough). 1995;16:316 (Letter)
Estimating energy needs of pediatric patients with burns (Holland et al). 1995;16:458-60
Inconsistencies in psychosocial assessment of children after severe burns (Meyer et al). 1995;16:559-68
Patients undergoing reconstructive surgery versus unburned children as "controls" in studies of pediatric patients with burns (Neely et al). 1995;16:418-21
Use of a helium-oxygen mixture in the treatment of postextubation stridor in pediatric patients with burns (Rodeberg et al). 1995;16:476-80
Younger pediatric patients with burns are at risk for continuing postdischarge weight loss (Mittendorfer et al). 1995;16:589-95

Burns, inhalation
Plasma copper and iron changes in sheep after left lung inhalation injury: effect of the thromboxane antagonist BM 13.177 (Solutroban) (Brizio-Molteni et al). 1995;16:16-22
Pulmonary failure in geriatric patients with burns: the need for a diagnosis-related group modifier (Clayton et al). 1995;16:451-4
Recent outcomes in the treatment of burn injury in the United States: a report from the American Burn Association Patient Registry (Saffle et al). 1995;16: 219-32

Burns, prevention & control
An effective method of educating junior high–aged children in fire and burn safety without disruption of the school curriculum (Heinle et al). 1995;16: 91-5
An eleven-year survey of electrical burn injuries (Haberal). 1995;16:43-8
The epidemiology and prevention of burn injuries to firefighters (Madden et al). 1995;16:461-5
Finding homes without smoke detectors: one step in planning burn prevention programs (McKnight et al). 1995;16:548-56

Burns, scald
The burn unit as a resource for the management of acute nonburn conditions in children (Sheridan et al). 1995;16:62-4
Dose effects of morphine and butorphanol alone and in combination after burn injury in the rat (Osgood et al). 1995;16:394-9
Summary (Bishop et al). 1995;16:341-2
Use of Biobrane in management of scalds (Demling). 1995;16:329-30

Butorphanol
Dose effects of morphine and butorphanol alone and in combination after burn injury in the rat (Osgood et al). 1995;16:394-9
Opioids and analgesia (Kealey). 1995;16:363-4

C

Calcium
Evaluation of calcium alginate for skin graft donor sites (Bettinger et al). 1995;16:59-61

Calcium gluconate
A study to determine the efficacy of treatments for hydrofluoric acid burns (Seyb et al). 1995;16:253-7

Candida
Candidemia in the pediatric patient with burns (Sheridan et al). 1995;16:440-3

Cardiovascular system
Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol, relative blood viscosity, platelet count, and bleeding time (Kirmani et al). 1995;16:306-15
Effects of supplemented Ω-3 and Ω-6 fatty acid rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma and platelet fatty acids (Kirmani et al). 1995;16:173-9

CD-ROM
"Burn Diseases," a multimedia educational presentation of the Mediterranean Burn Club (Miller). 1995;16: 162-3

Chelating agents
A study to determine the efficacy of treatments for hydrofluoric acid burns (Seyb et al). 1995;16:253-7

Child behavior checklist
Diminished adaptive behaviors among pediatric survivors of burns (Meyer et al). 1995;16:511-8

Chlorhexidine
Cytotoxicity testing of topical antimicrobial agents on human keratinocytes and fibroblasts for cultured skin grafts (Boyce et al). 1995;16:97-103

Cholesterol
Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol, relative blood viscosity, platelet count, and bleeding time (Kirmani et al). 1995;16:306-15

Cicatrix
Cultured epithelial autografting on meshed skin graft scars: evaluation of skin elasticity (Matsuzaki et al). 1995;16:496-502
Fabrication of total-contact burn masks by use of human body topography and computer-aided design and manufacturing (Whitestone et al). 1995;16:543-7
Pregnancy complicated by mature abdominal burn scarring and its surgical solution: a case report (Webb et al). 1995;16:276-9
The Vancouver Scar Scale: an administration tool and its interrater reliability (Baryza and Baryza). 1995;16: 535-8

Clenbuterol
Beneficial wound healing and metabolic effects of clenbuterol in burned and nonburned rats (Hollyoak et al). 1995;16:233-40

Clinical pathways
Issues related to clinical pathways: managed care, implementation, and liability (Korpiel). 1995;16:191-5

Clinical Research Award
Younger pediatric patients with burns are at risk for continuing postdischarge weight loss (Mittendorfer et al). 1995;16:589-95

Codeine
Opioids and analgesia (Kealey). 1995;16:363-4

Collagen
Use of Biobrane in wound management (Smith). 1995; 16:317-20

Collagenases
Wound healing in partial-thickness burn wounds treated with collagenase ointment versus silver sulfadiazine cream (Hansbrough et al). 1995;16:241-7

Colloids
Regional and institutional variation in burn care (Fakhry et al). 1995;16:86-90

Colonic pseudo-obstruction
Acute pseudo-obstruction in critically ill patients with burns (Kadesky et al). 1995;16:132-5

Computer-aided design
Fabrication of total-contact burn masks by use of human body topography and computer-aided design

and manufacturing (Whitestone et al). 1995;16: 543-7

Contracture
Early use of pressure masks to avoid facial contracture during the pregrafting phase (Giele et al). 1995;16: 641-5
Evaluation of a vertical mouth stretching orthosis: two case reports (Ridgway and Warden). 1995;16:74-8

Copper
Plasma copper and iron changes in sheep after left lung inhalation injury: effect of the thromboxane antagonist BM 13.177 (Solutroban) (Brizio-Molteni et al). 1995;16:16-22
Serum copper and zinc concentrations in patients with burns in relation to burn surface area (Gosling et al). 1995;16:481-6

Correspondence
Letters to the editor. 188, 316, 654, 1995;16:96

Corticosterone
Chronic pathophysiologic elevation of corticosterone after thermal injury or thermal injury and burn wound infection adversely affects body mass, lymphocyte numbers, and outcome (Hawes et al). 1995;16:1-15

Costs and cost analysis
Contrasting designs of critical pathways (Cornwell). 1995;16:295-304
Foreword: comments on critical pathways (Baxter). 1995;16:189
Letter to the editor (Halpert). 1995;16:96 (Letter)
Quality burn rehabilitation: cost-effective approach (Fletchall and Hickerson). 1995;16:539-42
Recent outcomes in the treatment of burn injury in the United States: a report from the American Burn Association Patient Registry (Saffle et al). 1995;16: 219-32
Utilization of critical pathways to facilitate clinical care (Kealey and Burger). 1995;16:214-6

Critical care
Burn physician reimbursement policy (Gillespie). 1995; 16:79-82

Critical illness
Acute pseudo-obstruction in critically ill patients with burns (Kadesky et al). 1995;16:132-5
Comparative analysis of bedside and operating room tracheostomies in critically ill patients with burns (Lujan et al). 1995;16:258-61

Critical pathways
Contrasting designs of critical pathways (Cornwell). 1995;16:295-304
Critical pathways: what they are and what they are not (Greenfield). 1995;16:196-7
Critical pathways in research (Baxter). 1995;16:218
Designing tools for pathway implementation and evaluation (Cornwell). 1995;16:202-8
Foreword: comments on critical pathways (Baxter). 1995;16:189
Introduction (Gordon et al). 1995;16:190-1
Steps to pathway development (Gordon). 1995;16:197-202
Utilization of critical pathways in education (Marvin). 1995;16:216-8
Utilization of critical pathways to facilitate clinical care (Kealey and Burger). 1995;16:214-6
Utilizing critical pathways to facilitate continued quality improvement (Cornwell). 1995;16:212-4

Cryopreservation
A simple human dermal model for assessment of in vitro attachment efficiency of stored cultured epithelial autografts (Ghosh et al). 1995;16:407-17

Cytotoxicity tests, immunologic
Cytotoxicity testing of topical antimicrobial agents on human keratinocytes and fibroblasts for cultured skin grafts (Boyce et al). 1995;16:97-103

D

Databases; *see* **Information systems**

Debridement
Emotional responses of hospitalized patients with burns to debridement during the acute phase (Thurston et al). 1995;16:269-75
Wound healing in partial-thickness burn wounds treated with collagenase ointment versus silver sulfadiazine cream (Hansbrough et al). 1995;16:241-7

Decubitus ulcer
Innovations in the design and performance of underpads for patients with burns (Biesecker et al). 1995;16:66-73

Defense mechanisms
Immunoglobulin M synthesis after burn injury: the effects of chronic ethanol on postinjury synthesis (Tabata and Meyer). 1995;16:400-6

Demerol; *see* **Meperidine**

Depression
Emotional responses of hospitalized patients with burns to debridement during the acute phase (Thurston et al). 1995;16:269-75

Dermagraft
An experimental study to determine the effects of Dermagraft on skin graft viability in the presence of bacterial wound contamination (Economou et al). 1995; 16:27-30

Dermatomes
"Old" brown-type dermatomes needed (Piccolo). 1995;16:188 (Letter)

Diagnosis-related groups
Pulmonary failure in geriatric patients with burns: the need for a diagnosis-related group modifier (Clayton et al). 1995;16:451-4

Dihydromorphinone
Opioids and analgesia (Kealey). 1995;16:363-4

Disinfection
Corrosion of stainless steel pipes in a hydrotherapy pool by a silver-copper disinfection system (Nguyen et al). 1995;16:280-3

Donors; *see* **Tissue donors**

Dressings; *see* **Bandages**

Dyes
Burn depth estimation by use of indocyanine green fluorescence: initial human trial (Sheridan et al). 1995;16:602-4

E

Elastase; *see* **Pancreatopeptidase**

Elasticity
Cultured epithelial autografting on meshed skin graft scars: evaluation of skin elasticity (Matsuzaki et al). 1995;16:496-502

Elbow
Dynamic versus static splints: a prospective case for sustained stress (Richard et al). 1995;16:284-7

Electric injuries
An eleven-year survey of electrical burn injuries (Haberal). 1995;16:43-8
Nonthermally mediated muscle injury and necrosis in electrical trauma (Block et al). 1995;16:581-8
An unusual mechanism of electrocution via a spray of aluminum paint (Still et al). 1995;16:141-2

Electrical burns; *see* **Burns, electric**

Electrocution; *see* **Electric injuries**

Endothelins
Endothelin levels in patients with burns covering more than 20% body surface area (Huribal et al). 1995;16:23-6

Endotracheal intubation; *see* **Intubation, intratracheal**

Energy metabolism
Estimating energy needs of pediatric patients with burns (Holland et al). 1995;16:458-60

Enteral nutrition
Enteral feeding of a pediatric patient with burns (Hansbrough and Hansbrough). 1995;16:316 (Letter)

Epidermal necrolysis, toxic
The burn unit as a resource for the management of acute nonburn conditions in children (Sheridan et al). 1995;16:62-4
Experience with burns of the eyes and lids in a regional burn unit (Still et al). 1995;16:248-52
Summary (Bishop et al). 1995;16:341-2
Use of Biobrane in treatment of toxic epidermal necrolysis (Kucan). 1995;16:324-8

Equipment
Clinical experience with the use of biodegradable tacks in pediatric patients with burns (Sheridan et al). 1995;16:143-4

Escherichia coli
Translocation and survival of *Bacteroides fragilis* after thermal injury (Gianotti et al). 1995;16:127-31

Ethanol; *see* **Alcohol, ethyl**

Eye
Experience with burns of the eyes and lids in a regional burn unit (Still et al). 1995;16:248-52

F

Face
Arch bar stabilization of endotracheal tubes in children with facial burns (Perrotta et al). 1995;16:437-9
Fabrication of total-contact burn masks by use of human body topography and computer-aided design and manufacturing (Whitestone et al). 1995;16:543-7

Fatty acids
Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol, relative blood viscosity, platelet count, and bleeding time (Kirmani et al). 1995;16:306-15
Effects of supplemented Ω-3 and Ω-6 fatty acid rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma and platelet fatty acids (Kirmani et al). 1995;16:173-9

Fentanyl
Opioids and analgesia (Kealey). 1995;16:363-4

Fibroblasts
Cytotoxicity testing of topical antimicrobial agents on human keratinocytes and fibroblasts for cultured skin grafts (Boyce et al). 1995;16:97-103

Flaps; *see* **Surgical flaps**

Flowmetry; *see* **Rheology**

Fluid therapy
An eleven-year survey of electrical burn injuries (Haberal). 1995;16:43-8
Regional and institutional variation in burn care (Fakhry et al). 1995;16:86-90
Superoxide dismutase and leupeptin prevent delayed reperfusion injury in the rat small intestine during burn shock (Xia et al). 1995;16:111-7

Fluorescence
Burn depth estimation by use of indocyanine green fluorescence: initial human trial (Sheridan et al). 1995;16:602-4

Fluorides
A study to determine the efficacy of treatments for hydrofluoric acid burns (Seyb et al). 1995;16:253-7

Furosemide
Regional and institutional variation in burn care (Fakhry et al). 1995;16:86-90

G

G suits
Prospective, randomized study of the efficacy of pressure garment therapy in patients with burns (Chang et al). 1995;16:473-5

Gastric acid
Burn injury results in decreased gastric acid production in the acute shock period (Zapata-Sirvent et al). 1995;16:622-6

Glucocorticoids
Chronic pathophysiologic elevation of corticosterone after thermal injury or thermal injury and burn wound infection adversely affects body mass, lymphocyte numbers, and outcome (Hawes et al). 1995;16:1-15

Glycine
Accelerated healing and reduced need for grafting in pediatric patients with burns treated with arginine–glycine–aspartic acid peptide matrix (Hansbrough et al). 1995;16:377-87

Graft rejection
The effect of burn injury on allograft rejection, alloantigen processing, and cytotoxic T lymphocyte sensitization (Hultman et al). 1995;16:573-80

Graft survival
Effective postoperative protection for grafted posterior surfaces: the quilted dressing (Sheridan et al). 1995;16:607-9

H

Hand
Homodigital flaps—especially for treatment of the burned hand (Hallock). 1995;16:503-7
Planimetry study of the percent of body surface represented by the hand and palm: sizing irregular burns is more accurately done with the palm (Sheridan et al). 1995;16:605-6
Treatment of fourth-degree hand burns (Nuchtern et al). 1995;16:36-42

Health Care Financing Administration; *see* **United States Health Care Financing Administration**

Health plan implementation
Designing tools for pathway implementation and evaluation (Cornwell). 1995;16:202-8
Issues related to clinical pathways: managed care, implementation, and liability (Korpiel). 1995;16:191-5

Health-care reform
Burn physician reimbursement policy (Gillespie). 1995; 16:79-82

Helium
Use of a helium-oxygen mixture in the treatment of postextubation stridor in pediatric patients with burns (Rodeberg et al). 1995;16:476-80

Hemodialysis
An eleven-year survey of electrical burn injuries (Haberal). 1995;16:43-8

Hemodynamics
Hemodynamic effects of delayed initiation of antioxidant therapy (beginning two hours after burn) in extensive third-degree burns (Tanaka et al). 1995;16: 610-5

Histologic techniques
Histologic comparison of cultured epithelial autograft and meshed expanded split-thickness skin graft (Putland et al). 1995;16:627-40

Hydrofluoric acid
A study to determine the efficacy of treatments for hydrofluoric acid burns (Seyb et al). 1995;16: 253-7

Hydromorphon; *see* **Dihydromorphinone**

Hydrotherapy
Corrosion of stainless steel pipes in a hydrotherapy pool by a silver-copper disinfection system (Nguyen et al). 1995;16:280-3
A quasi-experimental, dual-center study of morphine efficacy in patients with burns (Foertsch et al). 1995; 16:118-26

Hyperalgesia
Physiology of pain (Monafo). 1995;16:345-7

Hypnosis
Non–opioid-based approaches to burn pain (Patterson). 1995;16:372-6

Hypnotics and sedatives
Burn pain: the management of procedure-related pain (Ashburn). 1995;16:365-71

I

IgM
Immunoglobulin M synthesis after burn injury: the effects of chronic ethanol on postinjury synthesis (Tabata and Meyer). 1995;16:400-6

Immunization, passive
Overwhelming postsplenectomy sepsis in a patient with burns: a case report and a rational approach to treatment (Bradley et al). 1995;16:525-30

Immunoglobulins
Immunoglobulin M synthesis after burn injury: the effects of chronic ethanol on postinjury synthesis (Tabata and Meyer). 1995;16:400-6
Overwhelming postsplenectomy sepsis in a patient with burns: a case report and a rational approach to treatment (Bradley et al). 1995;16:525-30

Immunotherapy, active
Overwhelming postsplenectomy sepsis in a patient with burns: a case report and a rational approach to treatment (Bradley et al). 1995;16:525-30

Implementation; *see* **Health plan implementation**

Incontinence pads
Innovations in the design and performance of underpads for patients with burns (Biesecker et al). 1995;16: 66-73
Recent advances in absorbent products for the incontinent patient with burns (Biesecker et al). 1995;16: 146-53

Indocyanine green
Burn depth estimation by use of indocyanine green fluorescence: initial human trial (Sheridan et al). 1995;16:602-4

Infection
Comparison of hemodynamic changes resulting from toxic shock syndrome toxin-1–producing *Staphylococcus aureus* sepsis and endotoxin-producing gram-negative rod sepsis in patients with severe burns (Tanaka et al). 1995;16:616-21
Immunoglobulin M synthesis after burn injury: the effects of chronic ethanol on postinjury synthesis (Tabata and Meyer). 1995;16:400-6
Overwhelming postsplenectomy sepsis in a patient with burns: a case report and a rational approach to treatment (Bradley et al). 1995;16:525-30

Inflammation
Increased lipid peroxidation and decreased antioxidant activity correspond with death after smoke exposure in the rat (Demling et al). 1995;16:104-10

Information systems
"Burn Diseases," a multimedia educational presentation of the Mediterranean Burn Club (Miller). 1995;16: 162-3
The importance of sample size and software to find it (Landry). 1995;16:290-3
Spreadsheets III: the spreadsheet database—the good, the bad, and the helpful (Miller). 1995;16:83-4

Intensive care units
Comparative analysis of bedside and operating room tracheostomies in critically ill patients with burns (Lujan et al). 1995;16:258-61
A retrospective review of the burn intensive care unit admissions for a year (Bingham et al). 1995;16:56-8
Use of burn intensive care unit gymnasium as an adjunct to therapy (Gripp et al). 1995;16:160-1

Intestine, small
Superoxide dismutase and leupeptin prevent delayed reperfusion injury in the rat small intestine during burn shock (Xia et al). 1995;16:111-7

Intubation, intratracheal
Arch bar stabilization of endotracheal tubes in children with facial burns (Perrotta et al). 1995;16:437-9
Endotracheal tube tip position in an infant with severe burns (Sharar). 1995;16:654 (Letter)
The risk of pneumonia in thermally injured patients requiring ventilatory support (Rue et al). 1995;16: 262-8
Use of a helium-oxygen mixture in the treatment of postextubation stridor in pediatric patients with burns (Rodeberg et al). 1995;16:476-80

Iron
Plasma copper and iron changes in sheep after left lung inhalation injury: effect of the thromboxane antagonist BM 13.177 (Solutroban) (Brizio-Molteni et al). 1995;16:16-22

Ischemia
Burn injury results in decreased gastric acid production in the acute shock period (Zapata-Sirvent et al). 1995; 16:622-6

Isoantigens
The effect of burn injury on allograft rejection, alloantigen processing, and cytotoxic T lymphocyte sensitization (Hultman et al). 1995;16:573-80

K

Keratinocytes
Cytotoxicity testing of topical antimicrobial agents on human keratinocytes and fibroblasts for cultured skin grafts (Boyce et al). 1995;16:97-103

Kerlix
Management of skin-grafted burn wounds with Xeroform and layers of dry coarse-mesh gauze dressing results in excellent graft take and minimal nursing time (Hansbrough et al). 1995;16:531-4

Ketamine
Burn pain: the management of procedure-related pain (Ashburn). 1995;16:365-71

Kidney failure
An eleven-year survey of electrical burn injuries (Haberal). 1995;16:43-8

L

Laser-Doppler flowmetry
Early assessment of pediatric burn wounds by laser Doppler flowmetry (Atiles et al). 1995;16:596-601
Laser Doppler flowmetry in burn wounds (Atiles et al). 1995;16:388-93

Letters
Letters to the editor. 188, 316, 654, 1995;16:96

Leupeptins
Superoxide dismutase and leupeptin prevent delayed reperfusion injury in the rat small intestine during burn shock (Xia et al). 1995;16:111-7

Liability, legal
Issues related to clinical pathways: managed care, implementation, and liability (Korpiel). 1995;16:191-5

Lindberg Award
Nonthermally mediated muscle injury and necrosis in electrical trauma (Block et al). 1995;16:581-8

Lipid peroxidation
Increased lipid peroxidation and decreased antioxidant activity correspond with death after smoke exposure in the rat (Demling et al). 1995;16:104-10

Lung
The effect of smoke inhalation on bradykinin metabolism by the perfused and ventilated rat lung (Beall et al). 1995;16:487-95

Lymphocytes
Chronic pathophysiologic elevation of corticosterone after thermal injury or thermal injury and burn wound infection adversely affects body mass, lymphocyte numbers, and outcome (Hawes et al). 1995;16:1-15

M

Macroglobulins
Patients undergoing reconstructive surgery versus unburned children as "controls" in studies of pediatric patients with burns (Neely et al). 1995;16:418-21

Magnesium oxide
A study to determine the efficacy of treatments for hydrofluoric acid burns (Seyb et al). 1995;16:253-7

Magnesium sulfate
A study to determine the efficacy of treatments for hydrofluoric acid burns (Seyb et al). 1995;16:253-7

Managed care programs
Issues related to clinical pathways: managed care, implementation, and liability (Korpiel). 1995;16:191-5

Masks
Early use of pressure masks to avoid facial contracture during the pregrafting phase (Giele et al). 1995;16: 641-5
Fabrication of total-contact burn masks by use of human body topography and computer-aided design and manufacturing (Whitestone et al). 1995;16:543-7

Mechanical ventilation; *see* **Respiration, artificial**

Mediterranean Burn Club
"Burn Diseases," a multimedia educational presentation of the Mediterranean Burn Club (Miller). 1995;16: 162-3

Megacolon
Acute pseudo-obstruction in critically ill patients with burns (Kadesky et al). 1995;16:132-5

Meperidine
Opioids and analgesia (Kealey). 1995;16:363-4

Mesh; *see* **Surgical mesh**

Metabolism
The effect of smoke inhalation on bradykinin metabolism by the perfused and ventilated rat lung (Beall et al). 1995;16:487-95

Methadone
Opioids and analgesia (Kealey). 1995;16:363-4

Microstomia
Evaluation of a vertical mouth stretching orthosis: two case reports (Ridgway and Warden). 1995;16:74-8

Mifepristone
Chronic pathophysiologic elevation of corticosterone after thermal injury or thermal injury and burn wound infection adversely affects body mass, lymphocyte numbers, and outcome (Hawes et al). 1995;16:1-15

Mood; *see* **Affect**

Morphine
Dose effects of morphine and butorphanol alone and in combination after burn injury in the rat (Osgood et al). 1995;16:394-9
Opioids and analgesia (Kealey). 1995;16:363-4
Pharmacologic management of background pain in burn victims (Kealey). 1995;16:358-62
A quasi-experimental, dual-center study of morphine efficacy in patients with burns (Foertsch et al). 1995; 16:118-26

Mouth rehabilitation
Evaluation of a vertical mouth stretching orthosis: two case reports (Ridgway and Warden). 1995;16: 74-8

Moyer Award
The effect of burn injury on allograft rejection, alloantigen processing, and cytotoxic T lymphocyte sensitization (Hultman et al). 1995;16:573-80

Mupirocin
Cytotoxicity testing of topical antimicrobial agents on human keratinocytes and fibroblasts for cultured skin grafts (Boyce et al). 1995;16:97-103

Muscles
Nonthermally mediated muscle injury and necrosis in electrical trauma (Block et al). 1995;16:581-8

Musculoskeletal system
An eleven-year survey of electrical burn injuries (Haberal). 1995;16:43-8

Myeloperoxidase; *see* **Peroxidase**

N

Nalbuphine
Opioids and analgesia (Kealey). 1995;16:363-4

Narcotics
Burn pain: the management of procedure-related pain (Ashburn). 1995;16:365-71
Opioids and analgesia (Kealey). 1995;16:363-4
Pharmacologic management of background pain in burn victims (Kealey). 1995;16:358-62

Necrosis
Nonthermally mediated muscle injury and necrosis in electrical trauma (Block et al). 1995;16:581-8

Neutrophils
Effects of high-dose vitamin C administration on bacterial translocation and lung neutrophil sequestration in burned mice (Zapata-Sirvent et al). 1995;16:422-8

Nitrofurazone
Cytotoxicity testing of topical antimicrobial agents on human keratinocytes and fibroblasts for cultured skin grafts (Boyce et al). 1995;16:97-103

Nursing care
Nursing care of donor site wounds (Hansbrough). 1995;16:337-40

O

Occupational therapy
Use of burn intensive care unit gymnasium as an adjunct to therapy (Gripp et al). 1995;16:160-1

Ogilvie disease; *see* **Colonic pseudo-obstruction**

Oils
Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol, relative blood viscosity, platelet count, and bleeding time (Kirmani et al). 1995;16:306-15
Effects of supplemented Ω-3 and Ω-6 fatty acid rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma and platelet fatty acids (Kirmani et al). 1995;16:173-9

Opioids
Burn pain: the management of procedure-related pain (Ashburn). 1995;16:365-71
Opioids and analgesia (Kealey). 1995;16:363-4
Pharmacologic management of background pain in burn victims (Kealey). 1995;16:358-62

Orthosis; *see* **Orthotic devices**

Orthotic devices
Evaluation of a vertical mouth stretching orthosis: two case reports (Ridgway and Warden). 1995;16: 74-8

Oxycodone
Opioids and analgesia (Kealey). 1995;16:363-4

Oxygen
Use of a helium-oxygen mixture in the treatment of postextubation stridor in pediatric patients with burns (Rodeberg et al). 1995;16:476-80

P

Pain
Breaking barriers (Watkins). 1995;16:343-4
Burn pain: the management of procedure-related pain (Ashburn). 1995;16:365-71
Dose effects of morphine and butorphanol alone and in combination after burn injury in the rat (Osgood et al). 1995;16:394-9
Non–opioid-based approaches to burn pain (Patterson). 1995;16:372-6
Opioids and analgesia (Kealey). 1995;16:363-4
Pain and anxiety during burn dressing changes: concordance between patients' and nurses' ratings and relation to medication administration and patient variables (Geisser et al). 1995;16:165-71
Pain assessment versus measurement (Marvin). 1995; 16:348-57
Pharmacologic management of background pain in burn victims (Kealey). 1995;16:358-62
Physiology of pain (Monafo). 1995;16:345-7
A quasi-experimental, dual-center study of morphine efficacy in patients with burns (Foertsch et al). 1995; 16:118-26
A study to determine the efficacy of treatments for hydrofluoric acid burns (Seyb et al). 1995;16: 253-7

Pain measurement
Pain assessment versus measurement (Marvin). 1995; 16:348-57

Pancreatopeptidase
Patients undergoing reconstructive surgery versus unburned children as "controls" in studies of pediatric patients with burns (Neely et al). 1995;16:418-21

Parkland formula
Regional and institutional variation in burn care (Fakhry et al). 1995;16:86-90

Patient care team
The advantage of the burn team approach (Demling). 1995;16:569-72
Letter to the editor (Halpert). 1995;16:96 (Letter)

Patient education
Utilization of critical pathways in education (Marvin). 1995;16:216-8

Penis
Effect of penile burns on sexual function (Balakrishnan and Imel). 1995;16:508-10

Peptides
Accelerated healing and reduced need for grafting in pediatric patients with burns treated with arginine–glycine–aspartic acid peptide matrix (Hansbrough et al). 1995;16:377-87

Perception
Physiology of pain (Monafo). 1995;16:345-7

Percodan; *see* **Oxycodone**

Perfusion
The effect of smoke inhalation on bradykinin metabolism by the perfused and ventilated rat lung (Beall et al). 1995;16:487-95

Peritoneal dialysis
An eleven-year survey of electrical burn injuries (Haberal). 1995;16:43-8

Peroxidase
Effects of high-dose vitamin C administration on bacterial translocation and lung neutrophil sequestration in burned mice (Zapata-Sirvent et al). 1995;16:422-8

Phosphorus
Phosphorous burns: evaluation of various modalities for primary treatment (Eldad et al). 1995;16:49-55

Physical therapy
Evaluation of a vertical mouth stretching orthosis: two case reports (Ridgway and Warden). 1995;16:74-8
A survey of the prevalence and application of chest physical therapy in U.S. burn centers (Silverberg et al). 1995;16:154-9
Use of burn intensive care unit gymnasium as an adjunct to therapy (Gripp et al). 1995;16:160-1

Plasma
Chronic pathophysiologic elevation of corticosterone after thermal injury or thermal injury and burn wound infection adversely affects body mass, lymphocyte numbers, and outcome (Hawes et al). 1995;16:1-15
Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol, relative blood viscosity, platelet count, and bleeding time (Kirmani et al). 1995;16:306-15
Effects of supplemented Ω-3 and Ω-6 fatty acid rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma and platelet fatty acids (Kirmani et al). 1995;16:173-9
Plasma copper and iron changes in sheep after left lung inhalation injury: effect of the thromboxane antagonist BM 13.177 (Solutroban) (Brizio-Molteni et al). 1995;16:16-22

Plasminogen
Patients undergoing reconstructive surgery versus unburned children as "controls" in studies of pediatric patients with burns (Neely et al). 1995;16:418-21

Platelet count
Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol, relative blood viscosity, platelet count, and bleeding time (Kirmani et al). 1995;16:306-15

Pneumococcal infections
Overwhelming postsplenectomy sepsis in a patient with burns: a case report and a rational approach to treatment (Bradley et al). 1995;16:525-30

Pneumonia
The risk of pneumonia in thermally injured patients requiring ventilatory support (Rue et al). 1995;16:262-8

Polymyxin
Cytotoxicity testing of topical antimicrobial agents on human keratinocytes and fibroblasts for cultured skin grafts (Boyce et al). 1995;16:97-103

Postoperative care
Effective postoperative protection for grafted posterior surfaces: the quilted dressing (Sheridan et al). 1995;16:607-9

Pregnancy
Pregnancy complicated by mature abdominal burn scarring and its surgical solution: a case report (Webb et al). 1995;16:276-9

Prekallikrein
Patients undergoing reconstructive surgery versus unburned children as "controls" in studies of pediatric patients with burns (Neely et al). 1995;16:418-21

Presidential address
The advantage of the burn team approach (Demling). 1995;16:569-72

Pressure
Early use of pressure masks to avoid facial contracture during the pregrafting phase (Giele et al). 1995;16:641-5

Pressure garment; *see* **G suits**

Pressure sore; *see* **Decubitus ulcer**

Program evaluation
Designing tools for pathway implementation and evaluation (Cornwell). 1995;16:202-8

Psychosocial assessment
Inconsistencies in psychosocial assessment of children after severe burns (Meyer et al). 1995;16:559-68

Purpura
The burn unit as a resource for the management of acute nonburn conditions in children (Sheridan et al). 1995;16:62-4

Q

Quality assurance, health care
Utilizing critical pathways to facilitate continued quality improvement (Cornwell). 1995;16:212-4

Quality of life
Issues related to clinical pathways: managed care, implementation, and liability (Korpiel). 1995;16:191-5

R

Radioimmunoassay
Endothelin levels in patients with burns covering more than 20% body surface area (Huribal et al). 1995;16:23-6

Range of motion, articular
Dynamic versus static splints: a prospective case for sustained stress (Richard et al). 1995;16:284-7
Use of burn intensive care unit gymnasium as an adjunct to therapy (Gripp et al). 1995;16:160-1

Reconstructive surgery
Patients undergoing reconstructive surgery versus unburned children as "controls" in studies of pediatric patients with burns (Neely et al). 1995;16:418-21

Regional anesthesia; *see* **Anesthesia, conduction**

Registries
The American Burn Association Patient Registry (Rees et al). 1995;16:288-9

Reimbursement mechanisms
Burn physician reimbursement policy (Gillespie). 1995;16:79-82

Reintegration programs
School reintegration (Blakeney). 1995;16:180-7

Relaxation therapy
Non–opioid-based approaches to burn pain (Patterson). 1995;16:372-6

Renal failure; *see* **Kidney failure**

Reperfusion injury
Superoxide dismutase and leupeptin prevent delayed reperfusion injury in the rat small intestine during burn shock (Xia et al). 1995;16:111-7

Research
Critical pathways in research (Baxter). 1995;16:218

Respiration, artificial
The risk of pneumonia in thermally injured patients requiring ventilatory support (Rue et al). 1995;16:262-8

Respiratory insufficiency
Increased lipid peroxidation and decreased antioxidant activity correspond with death after smoke exposure in the rat (Demling et al). 1995;16:104-10
Pulmonary failure in geriatric patients with burns: the need for a diagnosis-related group modifier (Clayton et al). 1995;16:451-4

Respiratory sounds
Use of a helium-oxygen mixture in the treatment of postextubation stridor in pediatric patients with burns (Rodeberg et al). 1995;16:476-80

Resuscitation
An eleven-year survey of electrical burn injuries (Haberal). 1995;16:43-8
Regional and institutional variation in burn care (Fakhry et al). 1995;16:86-90

Return to work
Factors relating to return to work after burn injury (Wrigley et al). 1995;16:445-50

Rheology
Early assessment of pediatric burn wounds by laser Doppler flowmetry (Atiles et al). 1995;16:596-601

RU-486; *see* **Mifepristone**

S

Safety
An effective method of educating junior high–aged children in fire and burn safety without disruption of the school curriculum (Heinle et al). 1995;16:91-5

Salts
A study to determine the efficacy of treatments for hydrofluoric acid burns (Seyb et al). 1995;16:253-7

Sample size
The importance of sample size and software to find it (Landry). 1995;16:290-3

Scalds; *see* **Burns, scald**

Scars; *see* **Cicatrix**

School reentry
Commentary (Doctor). 1995;16:466-8
Efficacy of school reentry programs (Blakeney et al). 1995;16:469-72
School reentry for the patient with burn injuries: video and/or on-site intervention (Bishop and Gilinsky). 1995;16:455-7
School reintegration (Blakeney). 1995;16:180-7

Sedatives; *see* **Hypnotics and sedatives**

Self-mutilation
Self-inflicted patient burns: suicide versus mutilation (Tuohig et al). 1995;16:429-36

Sepsis; *see* **Infection**

Sexual function
Effect of penile burns on sexual function (Balakrishnan and Imel). 1995;16:508-10

Shock
Burn injury results in decreased gastric acid production in the acute shock period (Zapata-Sirvent et al). 1995;16:622-6
Effects of high-dose vitamin C administration on bacterial translocation and lung neutrophil sequestration in burned mice (Zapata-Sirvent et al). 1995;16:422-8
Superoxide dismutase and leupeptin prevent delayed reperfusion injury in the rat small intestine during burn shock (Xia et al). 1995;16:111-7

Shock, septic
Comparison of hemodynamic changes resulting from toxic shock syndrome toxin-1–producing *Staphylococcus aureus* sepsis and endotoxin-producing gram-negative rod sepsis in patients with severe burns (Tanaka et al). 1995;16:616-21

Signal transduction
Physiology of pain (Monafo). 1995;16:345-7

Silver sulfadiazine
Wound healing in partial-thickness burn wounds treated with collagenase ointment versus silver sulfadiazine cream (Hansbrough et al). 1995;16:241-7

Silver-copper disinfection system
Corrosion of stainless steel pipes in a hydrotherapy pool by a silver-copper disinfection system (Nguyen et al). 1995;16:280-3

Skin flaps; *see* **Surgical flaps**

Skin transplantation
Accelerated healing and reduced need for grafting in pediatric patients with burns treated with arginine–glycine–aspartic acid peptide matrix (Hansbrough et al). 1995;16:377-87
Arch bar stabilization of endotracheal tubes in children with facial burns (Perrotta et al). 1995;16:437-9
Clinical experience with the use of biodegradable tacks in pediatric patients with burns (Sheridan et al). 1995; 16:143-4
A comparison of Xeroform and SkinTemp dressings in the healing of skin graft donor sites (Griswold et al). 1995;16:136-40
Cultured epithelial autografting on meshed skin graft scars: evaluation of skin elasticity (Matsuzaki et al). 1995;16:496-502
Cytotoxicity testing of topical antimicrobial agents on human keratinocytes and fibroblasts for cultured skin grafts (Boyce et al). 1995;16:97-103
Early use of pressure masks to avoid facial contracture during the pregrafting phase (Giele et al). 1995;16: 641-5
The effect of burn injury on allograft rejection, alloantigen processing, and cytotoxic T lymphocyte sensitization (Hultman et al). 1995;16:573-80
Effect of penile burns on sexual function (Balakrishnan and Imel). 1995;16:508-10
Effective postoperative protection for grafted posterior surfaces: the quilted dressing (Sheridan et al). 1995; 16:607-9
Evaluation of calcium alginate for skin graft donor sites (Bettinger et al). 1995;16:59-61
Experience with burns of the eyes and lids in a regional burn unit (Still et al). 1995;16:248-52
An experimental study to determine the effects of Dermagraft on skin graft viability in the presence of bacterial wound contamination (Economou et al). 1995; 16:27-30
Histologic comparison of cultured epithelial autograft and meshed expanded split-thickness skin graft (Putland et al). 1995;16:627-40
Homodigital flaps—especially for treatment of the burned hand (Hallock). 1995;16:503-7
Management of skin-grafted burn wounds with Xeroform and layers of dry coarse-mesh gauze dressing results in excellent graft take and minimal nursing time (Hansbrough et al). 1995;16:531-4
Micrografts II: evaluation of 25:1, 50:1, and 100:1 expansion skin grafts in the porcine model (Nelson et al). 1995;16:31-5
Preexpansion of free flap donor sites used in reconstruction after burn injury (Hallock). 1995;16: 646-53
Recipe for postgraft antimicrobial wound cover (Heimbach). 1995;16:188 (Letter)
A simple human dermal model for assessment of in vitro attachment efficiency of stored cultured epithelial autografts (Ghosh et al). 1995;16:407-17

SkinTemp
A comparison of Xeroform and SkinTemp dressings in the healing of skin graft donor sites (Griswold et al). 1995;16:136-40

Smoke detectors
Finding homes without smoke detectors: one step in planning burn prevention programs (McKnight et al). 1995;16:548-56

Smoke inhalation injury
The effect of smoke inhalation on bradykinin metabolism by the perfused and ventilated rat lung (Beall et al). 1995;16:487-95
Increased lipid peroxidation and decreased antioxidant activity correspond with death after smoke exposure in the rat (Demling et al). 1995;16:104-10
Plasma copper and iron changes in sheep after left lung inhalation injury: effect of the thromboxane antagonist BM 13.177 (Solutroban) (Brizio-Molteni et al). 1995;16:16-22
Pulmonary failure in geriatric patients with burns: the need for a diagnosis-related group modifier (Clayton et al). 1995;16:451-4
Recent outcomes in the treatment of burn injury in the United States: a report from the American Burn Association Patient Registry (Saffle et al). 1995;16:219-32

Soft tissue injuries
The burn unit as a resource for the management of acute nonburn conditions in children (Sheridan et al). 1995;16:62-4

Solutroban
Plasma copper and iron changes in sheep after left lung inhalation injury: effect of the thromboxane antagonist BM 13.177 (Solutroban) (Brizio-Molteni et al). 1995;16:16-22

Soybean oil
Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol, relative blood viscosity, platelet count, and bleeding time (Kirmani et al). 1995;16:306-15
Effects of supplemented Ω-3 and Ω-6 fatty acid rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma and platelet fatty acids (Kirmani et al). 1995;16:173-9

Sparfloxacin
Cytotoxicity testing of topical antimicrobial agents on human keratinocytes and fibroblasts for cultured skin grafts (Boyce et al). 1995;16:97-103

Splenectomy
Overwhelming postsplenectomy sepsis in a patient with burns: a case report and a rational approach to treatment (Bradley et al). 1995;16:525-30

Splints
Dynamic versus static splints: a prospective case for sustained stress (Richard et al). 1995;16:284-7

Spreadsheet database
Spreadsheets III: the spreadsheet database—the good, the bad, and the helpful (Miller). 1995;16:83-4

Stainless steel
Clinical experience with the use of biodegradable tacks in pediatric patients with burns (Sheridan et al). 1995; 16:143-4

Staphylococcal scalded skin syndrome
The burn unit as a resource for the management of acute nonburn conditions in children (Sheridan et al). 1995;16:62-4

Staphylococcus aureus
Comparison of hemodynamic changes resulting from toxic shock syndrome toxin-1–producing *Staphylococcus aureus* sepsis and endotoxin-producing gram-negative rod sepsis in patients with severe burns (Tanaka et al). 1995;16:616-21

Stridor; *see* **Respiratory sounds**

Sucralfate
Regional and institutional variation in burn care (Fakhry et al). 1995;16:86-90

Sufentanil
Opioids and analgesia (Kealey). 1995;16:363-4

Suicide
Self-inflicted patient burns: suicide versus mutilation (Tuohig et al). 1995;16:429-36

Superoxide dismutase
Phosphorous burns: evaluation of various modalities for primary treatment (Eldad et al). 1995;16:49-55
Superoxide dismutase and leupeptin prevent delayed reperfusion injury in the rat small intestine during burn shock (Xia et al). 1995;16:111-7

Surgical flaps
Homodigital flaps—especially for treatment of the burned hand (Hallock). 1995;16:503-7
Preexpansion of free flap donor sites used in reconstruction after burn injury (Hallock). 1995;16:646-53

Surgical mesh
Cultured epithelial autografting on meshed skin graft scars: evaluation of skin elasticity (Matsuzaki et al). 1995;16:496-502
Management of skin-grafted burn wounds with Xeroform and layers of dry coarse-mesh gauze dressing results in excellent graft take and minimal nursing time (Hansbrough et al). 1995;16:531-4

T

Thermal injury; *see* **Burns**

Thromboxanes
Plasma copper and iron changes in sheep after left lung inhalation injury: effect of the thromboxane antagonist BM 13.177 (Solutroban) (Brizio-Molteni et al). 1995;16:16-22

Thymidine
Translocation and survival of *Bacteroides fragilis* after thermal injury (Gianotti et al). 1995;16:127-31

Tissue donors
A comparison of Xeroform and SkinTemp dressings in the healing of skin graft donor sites (Griswold et al). 1995;16:136-40
Evaluation of calcium alginate for skin graft donor sites (Bettinger et al). 1995;16:59-61
Nursing care of donor site wounds (Hansbrough). 1995;16:337-40
Summary (Bishop et al). 1995;16:341-2
Use of Biobrane for extensive posterior donor site wounds (Hansbrough). 1995;16:335-6

T lymphocytes
The effect of burn injury on allograft rejection, alloantigen processing, and cytotoxic T-lymphocyte sensitization (Hultman et al). 1995;16:573-80

Topography
Fabrication of total-contact burn masks by use of human body topography and computer-aided design and manufacturing (Whitestone et al). 1995;16:543-7

Toxic epidermal necrolysis; *see* **Epidermal necrolysis, toxic**

Toxic shock syndrome; *see* **Shock, septic**

Tracheal intubation; *see* **Intubation, intratracheal**

Tracheostomy
Comparative analysis of bedside and operating room tracheostomies in critically ill patients with burns (Lujan et al). 1995;16:258-61

Tranquilizing agents, minor
Non–opioid-based approaches to burn pain (Patterson). 1995;16:372-6

Translocation
Translocation and survival of *Bacteroides fragilis* after thermal injury (Gianotti et al). 1995;16:127-31

Transplantation, autologous
Cultured epithelial autografting on meshed skin graft scars: evaluation of skin elasticity (Matsuzaki et al). 1995;16:496-502
Histologic comparison of cultured epithelial autograft and meshed expanded split-thickness skin graft (Putland et al). 1995;16:627-40
Homodigital flaps—especially for treatment of the burned hand (Hallock). 1995;16:503-7
A simple human dermal model for assessment of in vitro attachment efficiency of stored cultured epithelial autografts (Ghosh et al). 1995;16:407-17

Transplantation, homologous
The effect of burn injury on allograft rejection, alloantigen processing, and cytotoxic T lymphocyte sensitization (Hultman et al). 1995;16:573-80

Treatment outcome
Development of burn outcomes and quality indicators: a project of the ABA committee on organization and delivery of burn care (Helvig et al). 1995;16:208-11
Recent outcomes in the treatment of burn injury in the United States: a report from the American Burn Association Patient Registry (Saffle et al). 1995;16: 219-32

Triglycerides
Effects of Ω-3 and Ω-6 fatty acid—rich oils on the cardiovascular system of thermally injured rabbits: changes in plasma triglycerides, plasma cholesterol, relative blood viscosity, platelet count, and bleeding time (Kirmani et al). 1995;16:306-15

U

Ulcer
Burn injury results in decreased gastric acid production in the acute shock period (Zapata-Sirvent et al). 1995; 16:622-6

Underpads; *see* **Incontinence pads**

United States Health Care Financing Administration
Burn physician reimbursement policy (Gillespie). 1995; 16:79-82

Urinary incontinence
Innovations in the design and performance of underpads for patients with burns (Biesecker et al). 1995;16: 66-73
Recent advances in absorbent products for the incontinent patient with burns (Biesecker et al). 1995;16: 146-53

V

Vancouver Scar Scale
The Vancouver Scar Scale: an administration tool and its interrater reliability (Baryza and Baryza). 1995;16: 535-8

Ventilation
The effect of smoke inhalation on bradykinin metabolism by the perfused and ventilated rat lung (Beall et al). 1995;16:487-95

Ventilation, mechanical; *see* **Respiration, artificial**

Vineland adaptive behavior scales
Diminished adaptive behaviors among pediatric survivors of burns (Meyer et al). 1995;16:511-8

Vitamin C; *see* **Ascorbic acid**

W

Weight loss
Younger pediatric patients with burns are at risk for continuing postdischarge weight loss (Mittendorfer et al). 1995;16:589-95

Wound healing
Accelerated healing and reduced need for grafting in pediatric patients with burns treated with arginine–glycine–aspartic acid peptide matrix (Hansbrough et al). 1995;16:377-87
Beneficial wound healing and metabolic effects of clenbuterol in burned and nonburned rats (Hollyoak et al). 1995;16:233-40
A comparison of Xeroform and SkinTemp dressings in the healing of skin graft donor sites (Griswold et al). 1995;16:136-40
Evaluation of calcium alginate for skin graft donor sites (Bettinger et al). 1995;16:59-61
Laser Doppler flowmetry in burn wounds (Atiles et al). 1995;16:388-93
Nursing care of donor site wounds (Hansbrough). 1995;16:337-40
Pediatric considerations in the use of Biobrane in burn wound management (Bishop). 1995;16:331-4
Use of Biobrane in wound management (Smith). 1995; 16:317-20
Wound healing in partial-thickness burn wounds treated with collagenase ointment versus silver sulfadiazine cream (Hansbrough et al). 1995;16:241-7

Wound infection
Chronic pathophysiologic elevation of corticosterone after thermal injury or thermal injury and burn wound infection adversely affects body mass, lymphocyte numbers, and outcome (Hawes et al). 1995;16: 1-15
An experimental study to determine the effects of Dermagraft on skin graft viability in the presence of bacterial wound contamination (Economou et al). 1995; 16:27-30

X

Xeroform
A comparison of Xeroform and SkinTemp dressings in the healing of skin graft donor sites (Griswold et al). 1995;16:136-40
Management of skin-grafted burn wounds with Xeroform and layers of dry coarse-mesh gauze dressing results in excellent graft take and minimal nursing time (Hansbrough et al). 1995;16:531-4

Z

Zinc
Serum copper and zinc concentrations in patients with burns in relation to burn surface area (Gosling et al). 1995;16:481-6